

HISTORY OF MAC FAUCETS...

MAC FAUCETS BEGAN WITH A SIMPLE IDEA: MAKE HANDS FREE AUTOMATIC FAUCETS THAT ARE RELIABLE, AFFORDABLE AND HIGHLY STYLIZED. WITH THIS CONCEPT IN MIND, THE COMPANY EMBARKED ON A LONG AND GRATIFYING JOURNEY TO DESIGN AND MANUFACTURE INNOVATIVE AUTOMATIC FAUCETS FOR A DISCERNING CLIENTELE. MAC FAUCETS "INVENTED" THE CONCEPT OF LUXURY IN AUTOMATIC FAUCETS. THE PHRASE "DECORATIVE AUTOMATIC FAUCETS" WAS COINED HERE.

THE JOURNEY BEGAN WITH THE INTRODUCTION OF THE AUTOLUXE FAUCET™ LINE, THE WORLDS FIRST LINE OF DECORATIVE AUTOMATIC FAUCETS. THE COMPLETE FAUCET LINE WAS MADE AVAILABLE IN TWENTY FINISHES.

A YEAR LATER, MAC INTRODUCED THE INDUSTRY STANDARD™ LINE, EFFECTIVELY REDEFINING THE STANDARDS IN AUTOMATED BATHROOM HARDWARE. THE CHALLENGE AT THE TIME WAS TO DESIGN QUALITY PRODUCT AND MAKE IT AVAILABLE AT A REASONABLE PRICE. I AM HAPPY TO SAY, WE MET THE CHALLENGE. THE INDUSTRY STANDARD™ LINE WAS, AND REMAINS TO THE DATE OF THIS WRITING, THE BEST PRICED AUTOMATIC FAUCET LINE IN THE USA. THE INDUSTRY STANDARD™ LINE NOW INCLUDES AUTOMATIC FLUSH VALVES, AUTOMATIC HAND DRYERS, AND AUTOMATIC SOAP DISPENSERS. VISIT WWW.MACFAUCETS.COM FOR MORE ON ALL MAC FAUCETS PRODUCTS.

AT MAC FAUCETS, WE CONTINUE TO DESIGN AND MANUFACTURE NEW AND INNOVATIVE PRODUCTS. MAC FAUCETS' UNIQUE COMPETITIVE ADVANTAGE LIES IN ITS ABILITY TO OFFER THE MOST ADVANCED FAUCET LINE IN THE WORLD. WE ARE COMMITTED TO MAINTAINING THE NEW PRODUCT PIPELINE, THEREBY, PROVIDING OUR PARTNERS IN THE RETAIL AND WHOLESALE FIELDS AN EXCEPTIONAL OPPORTUNITY TO OFFER THE LATEST AND GREATEST IN PLUMBING RELATED PRODUCTS.

MAC FAUCETS PRIDES ITSELF ON LIVING "GREEN". OUR FACILITIES ARE ENTIRELY POWERED BY RENEWABLE ENERGY GENERATED FROM WIND & SOLAR POWER. WE ARE PROUD TO HAVE SIGNED INTO AN AGREEMENT WITH GREEN MOUNTAIN ENERGY TO DELIVER 100% CARBON FREE ENERGY TO OUR FACILITIES. ADDITIONALLY, WE DEMAND THAT OUR VENDORS & SUPPLIERS EMPLOY ECO-FRIENDLY PROCESSES WHEN DELIVERING GOODS & SERVICES TO US.

I WOULD LIKE TO CONVEY A MESSAGE OF PRIDE AND ACCOMPLISHMENT ON THE BEHALF OF EVERY TEAM MEMBER AT MAC FAUCETS. EVERYONE HERE AT MAC SHARES A DEEP SENSE OF ACHIEVEMENT KNOWING FULL WELL THAT EVERY PRODUCT THAT LEAVES OUR FACILITIES TOUCHES THE LIVES OF MANY. WE ARE PROUD TO BE OF SERVICE, AND ARE THANKFUL FOR YOUR PATRONAGE.

FADI SHAKKOUR

PRESIDENT AND FOUNDER
MAC FAUCETS

THE FOLLOWING IS A LIST OF MAC FIRSTS:

2003 MAC INTRODUCED THE FIRST LINE OF DECORATIVE AUTOMATIC FAUCETS, WORLD WIDE.

2004 MAC INTRODUCED THE FIRST LINE OF AUTOMATIC FAUCETS PRICED BELOW \$200.00, IN THE USA.

2005 MAC INTRODUCED THE FIRST LINE OF VICTORIAN STYLE AUTOMATIC FAUCETS, WORLD WIDE.

2006 MAC INTRODUCED THE FIRST LINE OF AUTOMATIC FAUCETS WITH MATCHING SOAP DISPENSER AND WATER MIXING VALVE, WORLD WIDE.

2007 MAC INTRODUCED THE FIRST FULL LINE OF WALL MOUNT ELECTRONIC FAUCETS. THIS LINE INCLUDED TRADITIONAL, TRANSITIONAL, AND MODERN STYLE WALL MOUNT AUTOMATIC FAUCETS, WORLD WIDE.

2008 MAC INTRODUCED THE FIRST FULL LINE OF AUTOMATIC VESSEL SINK FAUCETS, WORLD WIDE. THIS LINE INCLUDES 18 MODELS, EACH DESIGNED TO ADDRESS VESSEL SINK HEIGHTS VARYING FROM 1 INCH TO 6 INCHES.

MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

Model FA444-12



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM



FA444-12 WITH SOAP DISPENSER



FA444-12 WITH 4 INCH DECK PLATE



FA444-12 WITH HOT & COLD WATER MIXING VALVE



FA444-12 WITH 8 INCH DECK PLATE

MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA444-17



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

FA444-17 WITH 4 INCH DECK PLATE



FA444-17 WITH SOAP DISPENSER



FA444-17 WITH HOT & COLD WATER MIXING VALVE



FA444-17 WITH 8 INCH DECK PLATE



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA444-63



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM



FA444-63 WITH SOAP DISPENSER



FA444-63 WITH HOT & COLD WATER MIXING VALVE



FA444-63 WITH 4IN DECK PLATE

FA444-63 WITH 8IN DECK PLATE





MODEL FA444-31

MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM



FA444-31 WITH SOAP DISPENSER



FA444-31 WITH HOT & COLD WATER MIXING VALVE



FA444-31 WITH 4 INCH DECK PLATE



MODEL FA400-101



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

FA400-101 WITH MATCHING SOAP DISPENSER



FA400-101 WITH MATCHING HOT & COLD WATER MIXING VALVE



MODEL FA400-102



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA400-103



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

FA400-103 WITH MATCHING HOT & COLD WATER MIXING VALVE



FA400-103 WITH MATCHING SOAP DISPENSER



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA400-106



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

FA400-106 WITH MATCHING SOAP DISPENSER



FA400-106 WITH MATCHING HOT & COLD WATER MIXING VALVE



MODEL FA400-109



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

FA400-109 WITH MATCHING SOAP DISPENSER



FA400-109 WITH MATCHING HOT & COLD WATER MIXING VALVE



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA400-118



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

FA400-118 WITH MATCHING HOT & COLD WATER MIXING VALVE



FA400-118 WITH MATCHING SOAP DISPENSER



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA400-1100



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM



FA400-1100 WITH MATCHING SOAP DISPENSER



FA400-1100 WITH MATCHING HOT & COLD WATER MIXING VALVE

MODEL FA400-1200



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM



FA400-1200 WITH MATCHING SOAP DISPENSER

FA400-1200 WITH MATCHING HOT & COLD WATER MIXING VALVE

MODEL FA400-1400



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

FA400-1400 WITH MATCHING HOT & COLD WATER MIXING VALVE



FA400-1400 WITH MATCHING SOAP DISPENSER



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA400 RISER SERIES 1101 - 1104



FA400-1101 WITH 1 INCH RISER



FA400-1102 WITH 2 INCH RISER



FA400-1103 WITH 3 INCH RISER



FA400-1104 WITH 4 INCH RISER

MODEL FA400 VESSEL FAUCET SERIES 1105 & 1106



FA400-1105 WITH 5 INCH RISER



FA400-1106 WITH 6 INCH RISER

MODEL FA400 RISER SERIES 1201 - 1204



MODEL FA400 RISER SERIES 1205 & 1206



FA400-1205 WITH 5 INCH RISER



FA400-1206 WITH 6 INCH RISER

MODEL FA400 RISER SERIES 1401 - 1404



FA400-1401 WITH 1 INCH RISER



FA400-1402 WITH 2 INCH RISER



FA400-1403 WITH 3 INCH RISER



FA400-1404 WITH 4 INCH RISER

MODEL FA400 VESSEL FAUCET SERIES 1405 & 1406



FA400-1405 WITH 5 INCH RISER



FA400-1406 WITH 6 INCH RISER 38

MODEL FA43-124



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA43-125



MAC FAUCETS
1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA43-129



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

MODEL FA43-130



MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM

AUTOMATIC SOAP DISPENSER

PY05-9000

Solid Brass. Dispenses Standard
Bulk Soap

Available in 20+ Matching Finishes



MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes

Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



MAC FAUCETS, LLC.



Satin Brass Finish



Polished Chrome Finish

POUR YOUR OWN SOAP with this **SOLID BRASS** electronic sensor soap dispenser, and free yourself from Soap Serfdom. **Competitor's electronic soap dispensers are specifically designed to dispense soaps made by the soap dispenser manufacturer at a heavy premium.** NOT SO with the new MAC PYOS-9000. *Select the liquid soap of your choice from the vendor of your choice, saving both time and money.*

This patent pending design is capable of dispensing liquid soaps & lotions available *anywhere* soaps and lotions are sold**

- **Freedom to select the soap of your choice from the vendor of your choice**.** *Competitors models require the use of soap which is made by the manufacturer of the soap dispenser.*
- Solid brass construction instead of plastic.
- All function adjustments are conducted above the sink with an optional hand held remote control.
- Soap bottle is easily installed for **convenience of soap refill.**
- **Available in 20 finishes** to match many bathroom faucets and fixtures, *specially MAC sensor faucets*

	MAC PYOS-9000	COMPETITION USING SOAP CARTRIDGE
Spout Material	Solid Brass	Plastic
Shank and Mounting Hardware	Stainless Steel and Brass	Plastic
Vandal Resistance	High	Low
Matching Finishes	20+ Finishes to Match Faucets	NO
Vessel Sink Installation	Available Option	NO
ADA Compliant 	YES	NO*
Soap or Lotion Selection	Uses Any Liquid Soap or Lotion. Sold Retail or Wholesale**	Must Buy Soap Made by Soap Dispenser Manufacturer. Sold Through Specific Vendors
Function Adjustments	Optional Hand Held Remote Control	Below Sink
Soap Refill (PYOS-9000) VS. Bottle Exchange (Competition)	Convenient Installation Options For Ease of Refill. Requires No Special Skills	Bottle Must Be Installed Right Below Dispenser. Requires Skill to Exchange Soap Cartridge
Soap Pump	Heavy Duty Peristaltic Type Normally Found in Medical Applications	Nylon Piston Type Pump Normally Found in Disposable Consumer Grade Soap Bottles

* Competitor's soap dispensers require that the soap bottle is located immediately below soap dispenser. Therefore, when the soap dispenser is installed so it is handicap accessible, the bottle's vertical clearance below the sink prevents wheel chair access and circumvents ADA compliance of hands free operation. It is our opinion that competitor's electronic soap dispensers are not ADA compliant in all installations.

** PYOS-9000 is capable of dispensing any liquid soap or lotion found in places such as grocery stores, janitorial supply stores or wherever soap is sold regardless of quantities. **PYOS-9000 is not capable of dispensing heavy cream soaps and lotions, or grit type soap.**

PYOS-9000 in Satin Nickel Finish



Optional Remote Control



Below Sink Hardware (Rough)



PYOS-9000 List Price \$449.99 to \$599.99

**COST OF OWNERSHIP CALCULATION:
MAC FAUCETS PYOS-9000 VS.
CARTRIDGE TYPE SOAP DISPENSERS**

MAC FAUCETS, LLC.
THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

Figures below are based on average use for each usage category, and average advertised retail prices of soaps and soap dispensers. These figures are approximate. Your usage & cost may vary.

Initial cost of soap dispenser in polished chrome finish	MAC Faucets PYOS-9000	Cartridge Type Soap Dispenser
	\$240.00	\$60.00

Cost of soap Liter in each container	\$12.00 per Gallon 3.780 per gallon	\$21.00 per Cartridge 1.600 per cartridge
Cost of soap per liter	Approx. \$3.20 / Liter	Approx. \$13.12 / Liter

Cost of soap figures below are based on 0.8 Milliliter (0.8ML) of soap dispensed per use PLUS soap waste. Soap waste is caused by discarding soap cartridges with soap left in them, or by overfilling soap bottles. Soap waste estimates are: 5% soap waste for MAC PYOS-9000, 15% soap waste for cartridge type.

Usage	Light Usage 1.2 Liters per Month		Medium Usage 2.4 Liters per Month		Heavy Usage 4.8 Liters per Month	
	PYOS-9000	Cartridge Type	PYOS-9000	Cartridge Type	PYOS-9000	Cartridge Type
Soap Dispenser						
Cost of Soap per Month	\$4.03	\$18.11	\$8.06	\$36.21	\$16.13	\$72.42
Cost of soap per year	\$48.38	\$217.27	\$96.77	\$434.53	\$193.54	\$869.07
Approximate time † till breakeven point	13 Months		6 1/2 Months		3 Months	
Total Cost of Ownership 1 st year *	\$288.38	\$227.27	\$336.77	\$494.53	\$433.54	\$929.07
Savings Per Unit 1 st Year of Ownership **		-\$11.12	\$157.77		\$495.53	
Total Cost of Ownership 2 nd year *	\$336.77	\$494.53	\$433.54	\$929.07	\$627.07	\$1,798.14
Savings Per Unit 2 nd Year of Ownership **	\$157.77		\$495.53		\$1,171.07	
Total Cost of Ownership 3 rd year *	\$385.15	\$711.80	\$530.30	\$1,363.60	\$820.61	\$2,667.21
Savings Per Unit 3 rd Year of Ownership **	\$326.65		\$833.30		\$1,846.60	

† Breakeven point is the point in time at which the cost of ownership of either soap dispenser, MAC PYOS-9000 or cartridge type, is the same. The months shown in the cells denote the length of time it takes to reach this breakeven point from the date that the item is placed in service. Cost of ownership is discussed in length below.

* Total cost of ownership includes total soap consumption for the entire period + initial cost of soap dispenser per unit.

** Saving per unit when choosing MAC PYOS-9000 soap dispenser vs. cartridge type soap dispenser.

Medium traffic category is highlighted since it includes many applications where electronic soap dispensers are installed.

AUTOMATIC SOAP DISPENSER

PY05-L100

Solid Brass Construction
Dispenses standard liquid soap
Available in 22 finishes



new

MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM



Electronic Faucet
Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser
Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Automatic Urinal Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Antique Brass Finish



Satin Brass Finish



Polished Brass Finish

POUR YOUR OWN SOAP with this **SOLID BRASS** electronic sensor soap dispenser, and free yourself from Soap Serfdom. **Competitor's electronic soap dispensers are specifically designed to dispense soaps made by the soap dispenser manufacturer at a heavy premium.** NOT SO with the new MAC Soap Dispenser. *Select the liquid soap of your choice from the vendor of your choice, saving both time and money.*

This patent pending design is capable of dispensing liquid soaps & lotions available *anywhere* soaps and lotions are sold**

- **Freedom to select the soap of your choice from the vendor of your choice**.** *Competitors models require the use of soap which is made by the manufacturer of the soap dispenser.*
- **Solid brass** construction instead of plastic.
- All function adjustments are conducted above the sink with an optional **hand held remote control.**
- Soap bottle is easily installed for **convenience of soap refill.**
- **Available in 20 finishes** to match many bathroom faucets and fixtures, *specially MAC sensor faucets*

	MAC PYOS SYSTEM	COMPETITION USING SOAP CARTRIDGE
Spout Material	Solid Brass	Plastic
Shank and Mounting Hardware	Stainless Steel and Brass	Plastic
Vandal Resistance	High	Low
Matching Finishes	20+ Finishes to Match Faucets	NO
Vessel Sink Installation	Available Option	NO
ADA Compliant 	YES	NO*
Soap or Lotion Selection	Uses Any Liquid Soap or Lotion. Sold Retail or Wholesale**	Must Buy Soap Made by Soap Dispenser Manufacturer. Sold Through Specific Vendors
Function Adjustments	Optional Hand Held Remote Control	Below Sink
Soap Refill (PYOS) VS. Bottle Exchange (Competition)	Convenient Installation Options For Ease of Refill. Requires No Special Skills	Bottle Must Be Installed Right Below Dispenser. Requires Skill to Exchange Soap Cartridge
Soap Pump	Heavy Duty Peristaltic Type Normally Found in Medical Applications	Nylon Piston Type Pump Normally Found in Disposable Consumer Grade Soap Bottles

* Competitor's soap dispensers require that the soap bottle is located immediately below soap dispenser. Therefore, when the soap dispenser is installed so it is handicap accessible, the bottle's vertical clearance below the sink prevents wheel chair access and circumvents ADA compliance of hands free operation. It is our opinion that competitor's electronic soap dispensers are not ADA compliant in all installations.

** PYOS is capable of dispensing any liquid soap or lotion found in places such as grocery stores, janitorial supply stores or wherever soap is sold regardless of quantities. **Soap Dispenser is not capable of dispensing heavy cream soaps and lotions, or grit type soap.**



Polished Chrome Finish



Venetian Bronze Finish



**COST OF OWNERSHIP CALCULATION:
MAC FAUCETS PYOS SYSTEM VS.
CARTRIDGE TYPE SOAP DISPENSERS**

MAC FAUCETS, LLC.
THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

Figures below are based on average use for each usage category, and average advertised retail prices of soaps and soap dispensers. These figures are approximate. Your usage & cost may vary.

Initial cost of soap dispenser in polished chrome finish	MAC Faucets PYOS-L100	Cartridge Type Soap Dispenser
Cost of soap Liter in each container	\$12.00 per Gallon 3.780 per gallon	\$21.00 per Cartridge 1.600 per cartridge
Cost of soap per liter	Approx. \$3.20 / Liter	Approx. \$13.12 / Liter

Cost of soap figures below are based on 0.8 Milliliter (0.8ML) of soap dispensed per use PLUS soap waste. Soap waste is caused by discarding soap cartridges with soap left in them, or by overfilling soap bottles. Soap waste estimates are: 5% soap waste for MAC PYOS system, 15% soap waste for cartridge type.

Usage	Light Usage 1.2 Liters per Month		Medium Usage 2.4 Liters per Month		Heavy Usage 4.8 Liters per Month	
	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type
Soap Dispenser						
Cost of Soap per Month	\$4.03	\$18.11	\$8.06	\$36.21	\$16.13	\$72.42
Cost of soap per year	\$48.38	\$217.27	\$96.77	\$434.53	\$193.54	\$869.07
Approximate time † till breakeven point	13 Months		6 1/2 Months		3 Months	
Total Cost of Ownership 1 st year *	\$288.38	\$227.27	\$336.77	\$494.53	\$433.54	\$929.07
Savings Per Unit 1 st Year of Ownership **		-\$11.12	\$157.77		\$495.53	
Total Cost of Ownership 2 nd year *	\$336.77	\$494.53	\$433.54	\$929.07	\$627.07	\$1,798.14
Savings Per Unit 2 nd Year of Ownership **	\$157.77		\$495.53		\$1,171.07	
Total Cost of Ownership 3 rd year *	\$385.15	\$711.80	\$530.30	\$1,363.60	\$820.61	\$2,667.21
Savings Per Unit 3 rd Year of Ownership **	\$326.65		\$833.30		\$1,846.60	

† Breakeven point is the point in time at which the cost of ownership of either soap dispenser, MAC PYOS System or cartridge type, is the same. The months shown in the cells denote the length of time it takes to reach this breakeven point from the date that the item is placed in service. Cost of ownership is discussed in length below.

* Total cost of ownership includes total soap consumption for the entire period + initial cost of soap dispenser per unit.

** Saving per unit when choosing MAC soap dispenser vs. cartridge type soap dispenser.

Medium traffic category is highlighted since it includes many applications where electronic soap dispensers are installed.

MAC FAUCETS LLC.

The Leader in Decorative Automatic Faucets, Worldwide!




PYOS 1105 - Antique Brass Finish

PYOS 1102 - 1106

MAC FAUCETS LLC.
The Leader in Decorative Automatic Faucets, Worldwide!

PYOS 1106
Satin Nickel Finish



PYOS 1104
Polished Chrome Finish



PYOS 1102
Polished Brass Finish



PYOS 1103
Venetian Bronze Finish



MAC FAUCETS LLC.

The Leader in Decorative Automatic Faucets, Worldwide!

POUR YOUR OWN SOAP with this **SOLID BRASS** electronic sensor soap dispenser, and free yourself from Soap Serfdom. **Competitor's electronic soap dispensers are specifically designed to dispense soaps made by the soap dispenser manufacturer at a heavy premium.** NOT SO with the new MAC Soap Dispenser. *Select the liquid soap of your choice from the vendor of your choice, saving both time and money.*

This patent pending design is capable of dispensing liquid soaps & lotions available *anywhere* soaps and lotions are sold**

- **Freedom to select the soap of your choice from the vendor of your choice**.** *Competitors models require the use of soap which is made by the manufacturer of the soap dispenser.*
- Solid brass construction instead of plastic.
- All function adjustments are conducted above the sink with an optional hand held remote control.
- Soap bottle is easily installed for **convenience of soap refill.**
- **Available in 20 finishes** to match many bathroom faucets and fixtures, *especially MAC sensor faucets*

	MAC PYOS SYSTEM	COMPETITION USING SOAP CARTRIDGE
Spout Material	Solid Brass	Plastic
Shank and Mounting Hardware	Stainless Steel and Brass	Plastic
Vandal Resistance	High	Low
Matching Finishes	20+ Finishes to Match Faucets	NO
Vessel Sink Installation	Available Option	NO
ADA Compliant 	YES	NO*
Soap or Lotion Selection	Uses Any Liquid Soap or Lotion. Sold Retail or Wholesale**	Must Buy Soap Made by Soap Dispenser Manufacturer. Sold Through Specific Vendors
Function Adjustments	Optional Hand Held Remote Control	Below Sink
Soap Refill (PYOS) VS. Bottle Exchange (Competition)	Convenient Installation Options For Ease of Refill. Requires No Special Skills	Bottle Must Be Installed Right Below Dispenser. Requires Skill to Exchange Soap Cartridge
Soap Pump	Heavy Duty Peristaltic Type Normally Found in Medical Applications	Nylon Piston Type Pump Normally Found in Disposable Consumer Grade Soap Bottles

* Competitor's soap dispensers require that the soap bottle is located immediately below soap dispenser. Therefore, when the soap dispenser is installed so it is handicap accessible, the bottle's vertical clearance below the sink prevents wheel chair access and circumvents ADA compliance of hands free operation. It is our opinion that competitor's electronic soap dispensers are not ADA compliant in all installations.

** PYOS is capable of dispensing any liquid soap or lotion found in places such as grocery stores, janitorial supply stores or wherever soap is sold regardless of quantities. **Soap Dispenser is not capable of dispensing heavy cream soaps and lotions, or grit type soap.**

**COST OF OWNERSHIP CALCULATION:
MAC FAUCETS PYOS SYSTEM VS.
CARTRIDGE TYPE SOAP DISPENSERS**



Figures below are based on average use for each usage category, and average advertised retail prices of soaps and soap dispensers. These figures are approximate. Your usage & cost may vary.

Initial cost of soap dispenser in polished chrome finish	MAC Faucets PYOS-L100	Cartridge Type Soap Dispenser
Cost of soap Liter in each container	\$12.00 per Gallon 3.780 per gallon	\$21.00 per Cartridge 1.600 per cartridge
Cost of soap per liter	Approx. \$3.20 / Liter	Approx. \$13.12 / Liter

Cost of soap figures below are based on 0.8 Milliliter (0.8ML) of soap dispensed per use PLUS soap waste. Soap waste is caused by discarding soap cartridges with soap left in them, or by overfilling soap bottles. Soap waste estimates are: 5% soap waste for MAC PYOS system, 15% soap waste for cartridge type.

Usage	Light Usage 1.2 Liters per Month		Medium Usage 2.4 Liters per Month		Heavy Usage 4.8 Liters per Month	
	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type
Soap Dispenser						
Cost of Soap per Month	\$4.03	\$18.11	\$8.06	\$36.21	\$16.13	\$72.42
Cost of soap per year	\$48.38	\$217.27	\$96.77	\$434.53	\$193.54	\$869.07
Approximate time † till breakeven point	13 Months		6 1/2 Months		3 Months	
Total Cost of Ownership 1 st year *	\$288.38	\$227.27	\$336.77	\$494.53	\$433.54	\$929.07
Savings Per Unit 1 st Year of Ownership **		-\$11.12	\$157.77		\$495.53	
Total Cost of Ownership 2 nd year *	\$336.77	\$494.53	\$433.54	\$929.07	\$627.07	\$1,798.14
Savings Per Unit 2 nd Year of Ownership **	\$157.77		\$495.53		\$1,171.07	
Total Cost of Ownership 3 rd year *	\$385.15	\$711.80	\$530.30	\$1,363.60	\$820.61	\$2,667.21
Savings Per Unit 3 rd Year of Ownership **	\$326.65		\$833.30		\$1,846.60	

† Breakeven point is the point in time at which the cost of ownership of either soap dispenser, MAC PYOS System or cartridge type, is the same. The months shown in the cells denote the length of time it takes to reach this breakeven point from the date that the item is placed in service. Cost of ownership is discussed in length below.

* Total cost of ownership includes total soap consumption for the entire period + initial cost of soap dispenser per unit.

** Saving per unit when choosing MAC soap dispenser vs. cartridge type soap dispenser.

Medium traffic category is highlighted since it includes many applications where electronic soap dispensers are installed.

AUTOMATIC SOAP DISPENSER

PY05-L124

Solid Brass Construction
Dispenses standard liquid soap
Available in 22 finishes



MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM



Electronic Faucet
Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser
Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Automatic Urinal Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Venetian Bronze Finish



Satin Nickel Finish

POUR YOUR OWN SOAP with this **SOLID BRASS** electronic sensor soap dispenser, and free yourself from Soap Serfdom. **Competitor's electronic soap dispensers are specifically designed to dispense soaps made by the soap dispenser manufacturer at a heavy premium.** NOT SO with the new MAC Soap Dispenser. *Select the liquid soap of your choice from the vendor of your choice, saving both time and money.*

This patent pending design is capable of dispensing liquid soaps & lotions available *anywhere* soaps and lotions are sold**

- **Freedom to select the soap of your choice from the vendor of your choice**.** *Competitors models require the use of soap which is made by the manufacturer of the soap dispenser.*
- Solid brass construction instead of plastic.
- All function adjustments are conducted above the sink with an optional **hand held remote control.**
- Soap bottle is easily installed for **convenience of soap refill.**
- **Available in 20 finishes** to match many bathroom faucets and fixtures, *specially MAC sensor faucets*

	MAC PYOS SYSTEM	COMPETITION USING SOAP CARTRIDGE
Spout Material	Solid Brass	Plastic
Shank and Mounting Hardware	Stainless Steel and Brass	Plastic
Vandal Resistance	High	Low
Matching Finishes	20+ Finishes to Match Faucets	NO
Vessel Sink Installation	Available Option	NO
ADA Compliant 	YES	NO*
Soap or Lotion Selection	Uses Any Liquid Soap or Lotion. Sold Retail or Wholesale**	Must Buy Soap Made by Soap Dispenser Manufacturer. Sold Through Specific Vendors
Function Adjustments	Optional Hand Held Remote Control	Below Sink
Soap Refill (PYOS) VS. Bottle Exchange (Competition)	Convenient Installation Options For Ease of Refill. Requires No Special Skills	Bottle Must Be Installed Right Below Dispenser. Requires Skill to Exchange Soap Cartridge
Soap Pump	Heavy Duty Peristaltic Type Normally Found in Medical Applications	Nylon Piston Type Pump Normally Found in Disposable Consumer Grade Soap Bottles

* Competitor's soap dispensers require that the soap bottle is located immediately below soap dispenser. Therefore, when the soap dispenser is installed so it is handicap accessible, the bottle's vertical clearance below the sink prevents wheel chair access and circumvents ADA compliance of hands free operation. It is our opinion that competitor's electronic soap dispensers are not ADA compliant in all installations.

** PYOS is capable of dispensing any liquid soap or lotion found in places such as grocery stores, janitorial supply stores or wherever soap is sold regardless of quantities. **Soap Dispenser is not capable of dispensing heavy cream soaps and lotions, or grit type soap.**

MAC FAUCETS, LLC.



**COST OF OWNERSHIP CALCULATION:
MAC FAUCETS PYOS SYSTEM VS.
CARTRIDGE TYPE SOAP DISPENSERS**

MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

Figures below are based on average use for each usage category, and average advertised retail prices of soaps and soap dispensers. These figures are approximate. Your usage & cost may vary.

Initial cost of soap dispenser in polished chrome finish	MAC Faucets PYOS-L100	Cartridge Type Soap Dispenser
--	-----------------------	-------------------------------

Cost of soap Liter in each container	\$12.00 per Gallon 3.780 per gallon	\$21.00 per Cartridge 1.600 per cartridge
Cost of soap per liter	Approx. \$3.20 / Liter	Approx. \$13.12 / Liter

Cost of soap figures below are based on 0.8 Milliliter (0.8ML) of soap dispensed per use PLUS soap waste. Soap waste is caused by discarding soap cartridges with soap left in them, or by overfilling soap bottles. Soap waste estimates are: 5% soap waste for MAC PYOS system, 15% soap waste for cartridge type.

Usage	Light Usage 1.2 Liters per Month		Medium Usage 2.4 Liters per Month		Heavy Usage 4.8 Liters per Month	
	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type
Soap Dispenser						
Cost of Soap per Month	\$4.03	\$18.11	\$8.06	\$36.21	\$16.13	\$72.42
Cost of soap per year	\$48.38	\$217.27	\$96.77	\$434.53	\$193.54	\$869.07
Approximate time † till breakeven point	13 Months		6 1/2 Months		3 Months	
Total Cost of Ownership 1 st year *	\$288.38	\$227.27	\$336.77	\$494.53	\$433.54	\$929.07
Savings Per Unit 1st Year of Ownership **		-\$11.12	\$157.77		\$495.53	
Total Cost of Ownership 2 nd year *	\$336.77	\$494.53	\$433.54	\$929.07	\$627.07	\$1,798.14
Savings Per Unit 2nd Year of Ownership **	\$157.77		\$495.53		\$1,171.07	
Total Cost of Ownership 3 rd year *	\$385.15	\$711.80	\$530.30	\$1,363.60	\$820.61	\$2,667.21
Savings Per Unit 3rd Year of Ownership **	\$326.65		\$833.30		\$1,846.60	

† Breakeven point is the point in time at which the cost of ownership of either soap dispenser, MAC PYOS System or cartridge type, is the same. The months shown in the cells denote the length of time it takes to reach this breakeven point from the date that the item is placed in service. Cost of ownership is discussed in length below.

* Total cost of ownership includes total soap consumption for the entire period + initial cost of soap dispenser per unit.

** Saving per unit when choosing MAC soap dispenser vs. cartridge type soap dispenser.

Medium traffic category is highlighted since it includes many applications where electronic soap dispensers are installed.

AUTOMATIC SOAP DISPENSER

PY05-129

Solid Brass Construction
Dispenses standard liquid soap
Available in 22 finishes



MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM

new



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Oil Rubbed Bronze Finish



Satin Nickel Finish

POUR YOUR OWN SOAP with this **SOLID BRASS** electronic sensor soap dispenser, and free yourself from Soap Serfdom. **Competitor's electronic soap dispensers are specifically designed to dispense soaps made by the soap dispenser manufacturer at a heavy premium.** NOT SO with the new MAC Soap Dispenser. *Select the liquid soap of your choice from the vendor of your choice, saving both time and money.*

This patent pending design is capable of dispensing liquid soaps & lotions available *anywhere* soaps and lotions are sold**

- **Freedom to select the soap of your choice from the vendor of your choice**.** *Competitors models require the use of soap which is made by the manufacturer of the soap dispenser.*
- Solid brass construction instead of plastic.
- All function adjustments are conducted above the sink with an optional **hand held remote control.**
- Soap bottle is easily installed for **convenience of soap refill.**
- **Available in 20 finishes** to match many bathroom faucets and fixtures, *especially MAC sensor faucets*

	MAC PYOS SYSTEM	COMPETITION USING SOAP CARTRIDGE
Spout Material	Solid Brass	Plastic
Shank and Mounting Hardware	Stainless Steel and Brass	Plastic
Vandal Resistance	High	Low
Matching Finishes	20+ Finishes to Match Faucets	NO
Vessel Sink Installation	Available Option	NO
ADA Compliant 	YES	NO*
Soap or Lotion Selection	Uses Any Liquid Soap or Lotion. Sold Retail or Wholesale**	Must Buy Soap Made by Soap Dispenser Manufacturer. Sold Through Specific Vendors
Function Adjustments	Optional Hand Held Remote Control	Below Sink
Soap Refill (PYOS) VS. Bottle Exchange (Competition)	Convenient Installation Options For Ease of Refill. Requires No Special Skills	Bottle Must Be Installed Right Below Dispenser. Requires Skill to Exchange Soap Cartridge
Soap Pump	Heavy Duty Peristaltic Type Normally Found in Medical Applications	Nylon Piston Type Pump Normally Found in Disposable Consumer Grade Soap Bottles

* Competitor's soap dispensers require that the soap bottle is located immediately below soap dispenser. Therefore, when the soap dispenser is installed so it is handicap accessible, the bottle's vertical clearance below the sink prevents wheel chair access and circumvents ADA compliance of hands free operation. It is our opinion that competitor's electronic soap dispensers are not ADA compliant in all installations.

** PYOS is capable of dispensing any liquid soap or lotion found in places such as grocery stores, janitorial supply stores or wherever soap is sold regardless of quantities. **Soap Dispenser is not capable of dispensing heavy cream soaps and lotions, or grit type soap.**



**COST OF OWNERSHIP CALCULATION:
MAC FAUCETS PYOS SYSTEM VS.
CARTRIDGE TYPE SOAP DISPENSERS**



Figures below are based on average use for each usage category, and average advertised retail prices of soaps and soap dispensers. These figures are approximate. Your usage & cost may vary.

Initial cost of soap dispenser in polished chrome finish	MAC Faucets PYOS-L100	Cartridge Type Soap Dispenser
Cost of soap Liter in each container	\$12.00 per Gallon 3.780 per gallon	\$21.00 per Cartridge 1.600 per cartridge
Cost of soap per liter	Approx. \$3.20 / Liter	Approx. \$13.12 / Liter

Cost of soap figures below are based on 0.8 Milliliter (0.8ML) of soap dispensed per use PLUS soap waste. Soap waste is caused by discarding soap cartridges with soap left in them, or by overfilling soap bottles. Soap waste estimates are: 5% soap waste for MAC PYOS system, 15% soap waste for cartridge type.

Usage	Light Usage 1.2 Liters per Month		Medium Usage 2.4 Liters per Month		Heavy Usage 4.8 Liters per Month	
	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type	PYOS-L100	Cartridge Type
Soap Dispenser						
Cost of Soap per Month	\$4.03	\$18.11	\$8.06	\$36.21	\$16.13	\$72.42
Cost of soap per year	\$48.38	\$217.27	\$96.77	\$434.53	\$193.54	\$869.07
Approximate time † till breakeven point	13 Months		6 1/2 Months		3 Months	
Total Cost of Ownership 1 st year *	\$288.38	\$227.27	\$336.77	\$494.53	\$433.54	\$929.07
Savings Per Unit 1 st Year of Ownership **		-\$11.12	\$157.77		\$495.53	
Total Cost of Ownership 2 nd year *	\$336.77	\$494.53	\$433.54	\$929.07	\$627.07	\$1,798.14
Savings Per Unit 2 nd Year of Ownership **	\$157.77		\$495.53		\$1,171.07	
Total Cost of Ownership 3 rd year *	\$385.15	\$711.80	\$530.30	\$1,363.60	\$820.61	\$2,667.21
Savings Per Unit 3 rd Year of Ownership **	\$326.65		\$833.30		\$1,846.60	

† Breakeven point is the point in time at which the cost of ownership of either soap dispenser, MAC PYOS System or cartridge type, is the same. The months shown in the cells denote the length of time it takes to reach this breakeven point from the date that the item is placed in service. Cost of ownership is discussed in length below.

* Total cost of ownership includes total soap consumption for the entire period + initial cost of soap dispenser per unit.

** Saving per unit when choosing MAC soap dispenser vs. cartridge type soap dispenser.

Medium traffic category is highlighted since it includes many applications where electronic soap dispensers are installed.

AUTOMATIC TOILET VALVE

ATV-3

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Available in
two water
consumption modes:
ATV-3 1.6 GPF
ATV-3-1.28 1.28 GPF

MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM





Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes




Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Venetian Bronze Finish



Satin Nickel Finish



ATV-3B
Retrofit Flush Valve

AUTOMATIC URINAL VALVE

AUV-3

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



Available in
four water

consumption modes:

AUV-3	1.0 GPF
AUV-3-0.5	0.5 GPF
AUV-3-0.25	0.25 GPF
AUV-3-0.125	0.125 GPF

MAC FAUCETS, LLC.

THE LEADER IN DECORATIVE AUTOMATIC FAUCETS, WORLDWIDE!

WWW.MACFAUCETS.COM





Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes

Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes




Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes



MAC FAUCETS, LLC.



Polished Chrome Finish



Antique Pewter Finish



AUV-3B
Retrofit Flush Valve

POPULAR FINISHES



FINISHES CONTINUED...

TO ADDRESS THE SPECIAL DEMANDS THAT THE COMMERCIAL MARKET PLACES ON FINISH, MAC FINISHES ARE ENGINEERED FOR BEAUTY AS WELL AS LONGEVITY. THESE FINISHES WILL PERFORM WELL UNDER NORMAL USE AND CLEANING PRACTICES. EVERY FINISH WE PROVIDE IS DESIGNED AND MADE IN A VERY UNIQUE WAY.

POLISHED FINISHES:

POLISHED CHROME FINISH (THE HARDEST AND MOST DURABLE FINISH WE OFFER) IS A 3 LAYER PROCESS OF COPPER, NICKEL, AND CHROME.

POLISHED BRASS IS PROVIDED USING PVD PROCESS.

POLISHED GOLD MIGHT BE EITHER NATURAL FINISH (READ BELOW) OR PVD. PLEASE CALL FOR DETAILS.

POLISHED NICKEL AND POLISHED COPPER ARE NATURAL FINISHES THAT ARE COVERED WITH A LAYER OF EXCEPTIONALLY HARD "SEE THROUGH" GLOSS POWDER COAT. THIS POWDER COAT LAYER NOT ONLY PRESERVE THE POLISHED FINISH, BUT ADDS TO THE BRILLIANCE OF THE ORIGINAL POLISHED SURFACE.

SATIN FINISHES:

SATIN CHROME FINISH (THE HARDEST AND MOST DURABLE SATIN FINISH WE OFFER) IS A 3 LAYER PROCESS OF COPPER, NICKEL, AND CHROME.

SATIN BRASS, SATIN NICKEL, SATIN GOLD, AND SATIN COPPER ARE NATURAL FINISHES THAT ARE COVERED WITH A LAYER OF EXCEPTIONALLY HARD "SEE THROUGH" SEMI-GLOSS POWDER COAT. THIS POWDER COAT LAYER NOT ONLY PRESERVE THE SATIN FINISH, BUT ADDS TO THE BRILLIANCE OF THE ORIGINAL SATIN SURFACE. THESE SATIN FINISHES WILL BE SLIGHTLY GLOSSY.

ANTIQUÉ FINISHES:

ANTIQUÉ BRASS, ANTIQUÉ COPPER, AND ANTIQUÉ PEWTER, ARE ARTISAN FINISHES. THESE FINISHES ARE PROVIDED USING TECHNIQUES PERFECTED OVER MANY GENERATIONS. ANTIQUÉ FINISHES ARE COVERED WITH A LAYER OF EXCEPTIONALLY HARD "SEE THROUGH" SEMI-GLOSS POWDER COAT. THIS THIN POWDER COAT LAYER NOT ONLY PRESERVE THE ANTIQUÉ FINISH, BUT ADDS TO THE AUTHENTICITY OF THE ORIGINAL ANTIQUÉ-LOOKING SURFACE. THESE ANTIQUÉ FINISHES WILL HAVE SLIGHTLY SHEEN TO THEM.

VENETIAN BRONZE:

VENETIAN BRONZE IS PROVIDED USING THE SAME ANTIQUING PROCESS DESCRIBED IN THE "ANTIQUÉ FINISHES" SECTION ABOVE.

OIL RUBBED BRONZE:

OUR STANDARD OIL RUBBED BRONZE IS A POWDER COATED COLOR FINISH DESIGNED TO SIMULATE THE EFFECTS OF OIL RUBBED BRONZE WHILE POSSESSING HIGH LEVEL OF RESISTANCE TO CORROSIVE CLEANING FLUIDS. IT'S A GREAT SOLUTION FOR HIGH TRAFFIC COMMERCIAL ENVIRONMENT, BUT MIGHT NOT BE THE BEST SOLUTION FOR RESIDENTIAL APPLICATION. RESIDENTIAL CLIENTS MIGHT BE BETTER SERVED WITH THE **MAC VENETIAN BRONZE FINISH.**

PLEASE VISIT OUR WEBSITE WWW.MACFAUCETS.COM FOR MORE FINISHES

AS ALWAYS, WE ADVISE THE USER TO EXERCISE SPECIAL CARE WHEN CLEANING ANY FAUCET

WE HAVE SEVERAL FINISH TYPES THAT AREN'T LISTED ABOVE OR SHOWN. CALL FOR DETAILS.

WEATHERED BRASS

POWDER BLACK

POWDER WHITE

BRASS/CHROME

CHROME/BRASS

ANTIQUÉ GOLD

BLACK NICKEL

VERDE GREEN

MAC FAUCETS

1.866.558.3200 WWW.MACFAUCETS.COM



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS LLC.



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Electronic Faucet
Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser
Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve
Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS LLC.



Electronic Faucet

Solid Brass. Lead Free
Available in 20+ Finishes



Electronic Soap Dispenser

Solid Brass. Dispenses Standard Bulk Soap
Available in 20+ Finishes



Automatic Toilet Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options
Available in 20+ Matching Finishes



Automatic Urinal Valve

Solid Brass Construction.
Self Cleaning Piston Valve.
Various Gallon Per Flush Options.
Available in 20+ Matching Finishes

MAC FAUCETS, LLC.

ACCESSORIES



A-13000

GRID TYPE DRAIN, WITH OVERFLOW
SHOWN TO THE LEFT

A-13100

GRID TYPE DRAIN, WITHOUT OVERFLOW

IT IS NOT RECOMMENDED TO SELL
DRAINS IN LIVING FINISHES.

KIT INCLUDES ALL MOUNTING HARDWARE.



A-12900

WATER MIXING VALVE UNDER SINK FULLY
ADJUSTABLE

THIS MIXING VALVE WORKS WITH ALL FAUCETS.
KIT INCLUDES 2 BACKFLOW PREVENTERS.



A-10400

DECK PLATE FOR 4" CENTER SINK

THIS DECK PLATE WORKS WITH ALL FAUCETS.

KIT INCLUDES RUBBER CUSHION AND HARDWARE.



A-10800

DECK PLATE FOR 8" CENTER SINK

THIS DECK PLATE WORKS WITH ALL FAUCETS.

KIT INCLUDES RUBBER CUSHION AND HARDWARE.

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Industry Standard™ Faucet Line



Model FA444-12

Also Available, the model FA444-12 residential duty faucet.
Please call for price and availability.

Package Includes

Faucet

FA444 Automator

*Deck Plate for 4"
Center Installation
** Optional ***

*Single Water Source
Fitting*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*



Features:

- Solid Brass Faucet.
- Solid Brass Solenoid Valve.
- Resin Encased Control Electronics.
- Battery powered, 4 standard AA batteries.
- Visible Low Battery Indicator.

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9

The model 12 is ideal for applications where price is key consideration. Although the model 12 is in fact **ONE OF THE BEST PRICED electronic faucet available on the market today**, this unique faucet is rated **HEAVY DUTY** and features the Faucet Automator model FA444. Manufactured to last, the FA444 employs an all in one sensor/electronic package. This package is hermetically sealed with visible low battery indicator. Also employed is a **SOLID BRASS** solenoid valve that is specially designed for high traffic applications.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA444-12
SPOUT:	CHROME PLATED SOLID BRASS
POWER:	4 (AA) ALKALINE BATTERIES OR AC ADAPTER
BATTERY LIFE EXPECTANCY:	150,000 TO 200,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI - 100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	NONE
POP-UP DRAIN ROD:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, NECK MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 6"
RESPONSE TIME:	0.6 SECOND
SHUT-OFF DELAY TIME:	3 SECOND
MAXIMUM RUNNING TIME:	30 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM. OPTIONAL 1.0 GPM, 0.5 GPM

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Deck Plate for 4" & 8" Center Sinks.
- Adjustable Under the Sink Mixing Valve. • Adjustable Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Industry Standard™ Faucet Line



Model: FA444HD-17

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Operating Valve.**
- **Resin Encased Control Electronics.**
- **Battery powered, 4 standard AA batteries.**
- **Visible Low Battery Indicator.**

Package Includes

Faucet

FA444HD Automator

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model 17 is ideal for *Residential, Commercial, and Industrial applications*. Although the model 17 is in fact **ONE OF THE BEST PRICED** electronic faucets available on the market today, this unique faucet is rated **HEAVY DUTY** and features the Faucet Automator model FA444HD. Manufactured to last, the FA444HD employs plug and play digital electronics, and hermetically sealed sensor capsule with visible low battery indicator. It also employs one of the most reliable **SOLID BRASS** solenoid valves in the industry.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA444HD-17
SPOUT:	CHROME PLATED SOLID BRASS
POWER:	4 (AA) BATTERIES OR AC ADAPTER
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	NONE
POP-UP DRAIN ROD:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, NECK MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 6"
RESPONSE TIME:	0.6 SECOND
SHUT-OFF DELAY TIME:	2 SECOND
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM. OPTIONAL 1.0 GPM, 0.5 GPM

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Deck Plate for 4" and 8" Center Sinks.
- Adjustable Under the Sink Mixing Valve. • Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Industry Standard™ Faucet Line



Model: FA444HD-63

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Operating Valve.**
- **Resin Encased Control Electronics.**
- **Battery powered, 4 standard AA batteries.**
- **Visible Low Battery Indicator.**

The model 444-63 is ideal for non-decorative commercial and industrial applications. Although the model 63 is in fact **ONE OF THE BEST PRICED** electronic faucets available on the market today, this unique faucet is rated **HEAVY DUTY** and features the Faucet Automator model FA444HD. Manufactured to last, the FA444HD employs plug and play digital electronics, hermetically sealed sensor capsule with visible low battery indicator, and employs one of the most reliable **SOLID BRASS** solenoid valves of any electronic faucet.

Package Includes

Faucet

FA444HD Automator

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA444HD-63
SPOUT:	CHROME PLATED SOLID BRASS
POWER:	4 (AA) ALKALINE BATTERIES OR AC ADAPTER
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	NONE
POP-UP DRAIN ROD:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, NECK MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 6"
RESPONSE TIME:	0.6 SECOND
SHUT-OFF DELAY TIME:	2 SECOND
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM. OPTIONAL 1.0 GPM, 0.5 GPM

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Deck Plate for 4" and 8" Center Sinks.
- Adjustable Under the Sink Mixing Valve. • Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Industry Standard™ Faucet Line



Model: FA444HD-31

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Operating Valve.**
- **Resin Encased Control Electronics.**
- **Battery powered, 4 standard AA batteries.**
- **360 Degree Rotating Neck.**
- **Visible Low Battery Indicator.**

Package Includes

Faucet

FA444HD Automator

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model 444-31 is ideal for *medical, laboratory, industrial and food handling application*. Although the model 31 is in fact **ONE OF THE BEST PRICED** electronic faucets of its type **today**, this unique faucet is rated **HEAVY DUTY** and features the Faucet Automator model FA444HD. Manufactured to last, the FA444HD employs plug and play digital electronics, hermetically sealed sensor capsule with visible low battery indicator, and employs the most reliable **SOLID BRASS** solenoid valves in the industry.

This faucet is not appropriate for commercial lavatories designated for public use due, in large part, to its rotating neck design.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA444HD-31
SPOUT:	CHROME PLATED SOLID BRASS
POWER:	4 (AA) BATTERIES OR AC ADAPTER
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	NONE
POP-UP DRAIN ROD:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, NECK MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 6"
RESPONSE TIME:	0.6 SECOND
SHUT-OFF DELAY TIME:	2 SECOND
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM. OPTIONAL 1.0 GPM, 0.5 GPM

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Deck Plate for 4" and 8" Center Sinks.
- Adjustable Under the Sink Mixing Valve. • Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-101

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

The model FA400-101 is ideal for bathroom application where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, don't let good looks fool you. The model FA400-101 is a heavy duty faucet that is designed for heavy traffic applications.

It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve
With Built-in Particle
Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-101
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve. •
- Matching Soap Dispenser. • Matching Hole Cap Cover. • Matching Off-
- Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-102

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-102 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, don't let the good looks fool you. The model FA400-102 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-102
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve.
- Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover. • Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-103

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-103 is ideal for *period/traditional/transitional/Tuscan style* bathrooms where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, don't let the good looks fool you. The model FA400-103 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400.

Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-103
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve.
- Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover. • Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-106

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-106 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. The unique faucet is also available with optional matching water mixing valve and matching soap dispenser. However, don't let the good looks fool you. The model FA400-106 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-106
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve.
- Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-109

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-109 is ideal for *traditional/period bathroom* designs where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, *don't let the good looks fool you. The model FA400-109 is a heavy duty faucet that is designed for heavy traffic applications.* It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-109
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve.
- Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-118

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-118 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, don't let good looks fool you. The model FA400-118 is a heavy duty faucet that is designed for heavy traffic applications.

It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-118
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve.
- Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-1100

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Resin Encased Control Electronics.**
- **Battery Powered, 4 Standard AA Batteries.**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1100 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. **The unique faucet is also available with optional matching water mixing valve and matching soap dispenser.** However, don't let the good looks fool you. The model FA400-1100 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1100
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-1200

Featuring:

- Solid Brass Faucet.
- Solid Brass Valving System.
- Resin Encased Control Electronics.
- Battery Powered, 4 Standard AA Batteries.
- Water Flow Adjustment Capability.
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1200 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. The unique faucet is also available with optional matching water mixing valve and matching soap dispenser. However, don't let good looks fool you, the model FA400-1200 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1200
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Autoluxe™ Model: FA400-1400

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Resin Encased Control Electronics.**
- **Battery Powered, 4 Standard AA Batteries.**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

*Water Flow Valve With
Built-in Particle Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1400 is ideal for bathroom applications where automatic faucets are an intricate component of the rooms overall design element. The unique faucet is also available with optional matching water mixing valve and matching soap dispenser. However, don't let good looks fool you, the model FA400-1400 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is first to develop and manufacture decorative hands free faucets World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1400
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN ROD:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MICRON
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve.
- Matching Soap Dispenser. • Matching Hole Cap Cover.
- Matching Off-Body Pop-Up Lift. • AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1101 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1101 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1101 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type Of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1101
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1102 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1102 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1102 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type Of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1102
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1103 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1103 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1103 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type Of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1103
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1104 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1104 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1104 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type Of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1104
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink Mixing Valve
- Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1105 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1105 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1105 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1105
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1106 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1106 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1106 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1106
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1201 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1201 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1201 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1201
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1202 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1202 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1202 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1202
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1203 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1203 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1203 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1203
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1204 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1204 is specifically designed for **vessel sink (bowl sink) applications**. This faucet is suitable for both residential and commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1204 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1204
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1205 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1205 is specifically designed for **vessel sink (bowl sink) applications only**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1205 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1205
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1206 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1206 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1206 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1206
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1401 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1401 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1401 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1401
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1402 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1402 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1402 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1402
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1403 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1403 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1403 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product World Wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1403
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1404 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1404 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1404 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product Worldwide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1404
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Model: FA400-1405 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

The model FA400-1405 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1405 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product Worldwide.

Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9




SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1405
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets Worldwide

Autoluxe Faucets Are Available In Twenty Finishes



Package Includes

Faucet

FA400 Automator

*Single Water Source
Fitting*

**Please Note: Faucet
Sold Without Drain**

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model: FA400-1406 For Vessel Sinks Only

Featuring:

- **Solid Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Resistant Electronics.**
- **Battery Powered, with Optional AC.**
- **Available in Twenty (20) Finishes.**

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA400-1406 is specifically designed for **vessel sink (bowl sink) applications**. It is suitable for both residential as well as commercial applications. *This product is designed with special emphasis on style and functionality.* However, don't let the good looks fool you, the model FA400-1406 is a heavy duty faucet that is designed for heavy traffic applications. It features the Faucet Automator model FA400. Manufactured to last, the FA400 employs the latest in plug and play digital electronics, solid brass solenoid valve with integral filter and water flow adjustment, and it all comes in a package that is a breeze to install.

MAC Faucets is First to Design and Manufacture This Type of Product Worldwide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA400-1406
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
WATER TEMPERATURE CONTROL:	OPTIONAL
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BASE MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 8" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	3 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Adjustable Under the Sink
- Mixing Valve. • Matching Above The Sink Water Mixing Valve (**residential applications only**).
- Matching Soap Dispenser. • Matching Off-Body Pop-Up Lift (**residential applications only**).
- AC Adapters.

All Dimensions in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets World Wide

Autoluxe Faucets are Available in Twenty Finishes



Autoluxe™ Model: FA43-124 Featuring:

- **Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Safe Control Electronics.**
- **Battery Powered, (4 Standard AA Batteries).**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA43 Automator

*Single Water Source
Fitting*

*Water Flow Valve
With Built-in Particle
Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA43-124 is member of an expanding line of **wall mounted hands free faucets** available from MAC. This faucet is ideal for bathroom applications where *modern* wall mounted automatic faucets are desired. *Don't let the good looks fool you, the model FA43-124 is a heavy duty faucet that is designed for heavy traffic applications.* It features the Faucet Automator model FA43. Manufactured to last, the FA43 employs the latest in plug and play digital electronics, and is equipped with a solid brass solenoid valve with integral filter and water flow adjustment. The faucet is shipped complete and is packaged for ease of installation.

MAC Faucets is first to design and manufacture decorative automatic wall mount faucets world wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA43-124
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING.
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN KNOB:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, WALL MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 10" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Wall Plates for 4" and 8" hole configuration.
- Adjustable Under The Sink Mixing. • AC Adapters.

All Dimensions are approximate and in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets World Wide

Autoluxe Faucets are Available in Twenty Finishes



Autoluxe™ Model: FA43-125

Featuring:

- **Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Safe Control Electronics.**
- **Battery Powered, (4 Standard AA Batteries).**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA43 Automator

*Single Water Source
Fitting*

*Water Flow Valve
With Built-in Particle
Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA43-125 is member of an expanding line of **wall mounted hands free faucets** available from MAC. This faucet is ideal for bathroom applications where *decorative* wall mounted automatic faucets are desired. *However, don't let good looks fool you, the model FA43-125 is a heavy duty faucet that is designed for heavy traffic applications.* It features the Faucet Automator model FA43. Manufactured to last, the FA43 employs the latest in plug and play digital electronics, and is equipped with a solid brass solenoid valve with integral filter and water flow adjustment. The faucet is shipped complete and is packaged for ease of installation.

MAC Faucets is first to design and manufacture decorative automatic wall mount faucets world wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA43-125
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING.
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN KNOB:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, WALL MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 10" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Wall Plates for 4" and 8" hole configuration.
- Adjustable Under The Sink Mixing. • AC Adapters.

All Dimensions are approximate and in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Autoluxe Faucets are Available in Twenty Finishes



Autoluxe™ Model: FA43-129

Featuring:

- **Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Safe Control Electronics.**
- **Battery Powered, (4 Standard AA Batteries).**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA43 Automator

*Single Water Source
Fitting*

*Water Flow Valve
With Built-in Particle
Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA43-129 is member of an expanding line of **wall mounted hands free faucets** available from MAC. This faucet is ideal for bathroom applications where *traditional design* wall mounted automatic faucets are desired. *Don't let the good looks fool you, the model FA43-129 is a heavy duty faucet that is designed for heavy traffic applications.* It features the Faucet Automator model FA43. Manufactured to last, the FA43 employs the latest in plug and play digital electronics, and is equipped with a solid brass solenoid valve with integral filter and water flow adjustment. The faucet is shipped complete and is packaged for ease of installation.

MAC Faucets is first to design and manufacture decorative automatic wall mount faucets world wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA43-129
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING.
WORKING WATER PRESSURE:	1 PSI - 100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER MIXING VALVE:	OPTIONAL
POP-UP DRAIN KNOB:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, WALL MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 10" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Wall Plates for 4" and 8" hole configuration.
- Adjustable Under The Sink Mixing. • AC Adapters.

All Dimensions are approximate and in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Autoluxe Faucets are Available in Twenty Finishes



Autoluxe™ Model: FA43-130

Featuring:

- **Brass Faucet.**
- **Solid Brass Valving System.**
- **Water Safe Control Electronics.**
- **Battery Powered, (4 Standard AA Batteries).**
- **Water Flow Adjustment Capability.**
- **Available in Twenty (20) Finishes.**

Package Includes

Faucet

FA43 Automator

*Single Water Source
Fitting*

*Water Flow Valve
With Built-in Particle
Filter*

Stainless Steel Hose

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Drain Sold Separately

ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9



The model FA43-130 is member of an expanding line of **wall mounted hands free faucets** available from MAC. This faucet is ideal for bathroom applications where *traditional design* wall mounted automatic faucets are desired. *Don't let good looks fool you, the model FA43-130 is a heavy duty faucet that is designed for heavy traffic applications.* It features the Faucet Automator model FA43. Manufactured to last, the FA43 employs the latest in plug and play digital electronics, and is equipped with a solid brass solenoid valve with integral filter and water flow adjustment. The faucet is shipped complete and is packaged for ease of installation.

MAC Faucets is first to design and manufacture decorative automatic wall mount faucets world wide.


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA43-130
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES / AC ADAPTER OPTIONAL
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING.
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT MALE
WATER TEMPERATURE CONTROL:	OPTIONAL
POP-UP DRAIN KNOB:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, WALL MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	2" TO 10" ADJUSTABLE
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type. • Wall Plates for 4" and 8" hole configuration.
- Adjustable Under The Sink Mixing. • AC Adapters.

All Dimensions are approximate and in Inches



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Leader in Decorative Automatic Faucets World Wide

Available in Polished Chrome Finish Only



Package Includes

Faucet

Mounting Hardware

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

**Please Note: Faucet
Sold Without Drain**

Model: FA610-68 *with body sensor feature*

Featuring:

- **Brass Faucet.**
- **High Efficiency Valving System.**
- **Unique “Body Sensor” Electronics.**
- **Battery Powered, (4 Standard AA Batteries).**
- **Drain Sold Separately.**



ANSI A112.18.1M

CSA Standard B125, 2.2
U.S. GPM

Complies with NSF
Standard 61, Section 9

The model FA610-68 is the latest in a series of **wall mounted hands free faucets** available from MAC Faucets. This faucet is ideal for bathroom applications where a wall mounted automatic faucet is an indispensable component of the room's overall design element. *The model FA610-68 features **integral component system design**. This means that all hardware is housed within the body of the faucet itself. No additional hardware is needed below sink, or behind wall except for the optional water mixing valve. Another unique feature is the **“body sensor”** feature instead of the standard “hands sensor” feature. Body sensor turns the water on when a user approaches faucet and turns water off when the user leaves vanity area. No more waving of hands to activate faucet.*


SPECIFICATIONS AND DIMENSIONS

MODEL:	FA610-68
SPOUT:	SOLID BRASS
POWER:	4 (AA) BATTERIES ONLY. NO AC OPTION.
BATTERY LIFE EXPECTANCY:	300,000 CYCLES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING.
WORKING WATER PRESSURE:	1 PSI -100 PSI
SUPPLY INLET SIZE:	1/2" NPT FEMALE
WATER MIXING VALVE:	OPTIONAL
POP-UP DRAIN KNOB:	NONE
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BODY SENSOR
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING RANGE:	14" TO 18"
RESPONSE TIME:	0.3 SECOND
SHUT-OFF DELAY TIME:	2 SECONDS
MAXIMUM RUNNING TIME:	60 SECONDS
PARTICLE FILTER SIZE:	50 MESH
AERATOR:	1.5 GPM STANDARD, OPTIONS AVAILABLE

Optional Equipment:

- Lavatory Drain, Grid and Pop-Up Type.
- Wall Plates for 4" and 8" hole configuration.
- Under The Sink Mixing.

All Dimensions are approximate and in Inches




MAC FAUCETS

MAC FAUCETS Deck Mount Rough-in


FA400-101, 102, 103, 106, 109, 114, 118, 1100, 1200, 1400 . FA4311, 4316 . FA444-17, 31, 63

Page 1 of 2

- Rough-in showing faucet hole in solid counter tops. Other holes are optional.
- Round or oval sinks. For square sinks see page 2.
- Faucet hole diameter may not exceed 2"
- All dimensions in inches.



Top View



Side View

MAC FAUCETS


www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS Deck Mount Rough-in


FA400-101, 102, 103, 106, 109, 114, 118, 1100, 1200, 1400 . FA4311, 4316 . FA444-17, 31, 63

Page 2 of 2

- Rough-in showing faucet hole in solid counter tops. Other holes are optional.
- Square sinks. For round or oval sinks see page 1.
- Faucet hole diameter may not exceed 2"
- All dimensions in inches.



WARNING
 Drop in sink may interfere with sensor. We recommend undermount sink or sink that is flush with counter top.





MAC FAUCETS

Riser Series Rough-in

FA400-1101 through 1106, FA400-1201 through 1206, FA400-1401 through 1406

Page 1 of 2

- Rough-in showing faucet hole in solid counter tops. Other holes are optional.
- Round or oval sinks. For square sinks see page 2.
- Faucet hole diameter may not exceed 2"
- All dimensions in inches.



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com



MAC FAUCETS

Riser Series Rough-in

FA400-1101 through 1106, FA400-1201 through 1206, FA400-1401 through 1406

Page 2 of 2

- Rough-in showing faucet hole in solid counter tops. Other holes are optional.
- Square sinks. For round or oval sinks see page 1.
- Faucet hole diameter may not exceed 2"
- All dimensions in inches.



MAC FAUCETS




www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCET

Wall Mount Rough-in

- Page 1 of 2
- All brass construction.
- Finish applies to components visible from above sink only.
- All dimensions in inches.

FA43-124, 125, 129, 130



Front View


MAC FAUCETS

MAC FAUCET

Wall Mount Rough-in

- Page 2 of 2
- Wall pipe and street elbow not supplied.
- 1/2" NPT street elbow must be fastened to wall frame.
- Wall frame 4" max. Thicker wall frame may require horizontal pipe or coupler.
- **Please note:** Spouts have 1/2" NPT inlet threads. Some models have male threads, others female.
- Wall spouts have varying length. Please view spec. of individual faucet.
- Sensor range/zone is field adjustable.
- 22" maximum distance required to accommodate sensor cable length.
- Faucet Automator FA43 contains batteries (battery application) and must be accessible for battery replacement.

FA43-124, 125, 129, 130



MAC FAUCETS


www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

FA 610-68 Rough-in

Page 1 of 2


- All brass construction. Sensor is plastic.
- Finish applies to components visible from above sink only. Finish does not apply to sensor.
- All dimensions in inches.
- Pipe inside wall not supplied.
- Please note: Spout has 1/2" NPT male inlet threads.
- Sensor range/zone is field adjustable.



MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

- Hole diameter and distance from sink edge is the same for drop-in and under mount sinks.



Front View

MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

Electronic, Sensor bulk Soap Dispenser



Model: PYOS-9000 Patent Pending

Features:

- **No Need to Purchase Expensive Soap Cartridges.**
- **Dispenses Standard Bulk Soap.**
- **Solid Brass Spout.**
- **Battery Powered, AC Optional.**
- **Available in Twenty+ Matching Finishes.**



Package Includes

Spout

Soap Pump

*All Hose Connections
Between Pump and
Spout*

800ml Soap Bottle

*Battery Compartment
or Optional AC Power
Supply*

Mounting Hardware


*Remote Control
Optional*

*All hardware necessary for
satisfactory installation*


SPECIFICATIONS

SPECIFICATIONS	
MODEL:	PYOS-9000
SPOUT:	SOLID BRASS
POWER:	4 (D) BATTERIES / AC ADAPTER OPTIONAL
SOAP PUMP:	6 VOLT PERISTALTIC PUMP SYSTEM
COUNTER ACCOMMODATION:	ACCOMMODATES COUNTER THICKNESS UP TO 2"
SENSOR TYPE:	ACTIVE INFRARED, SELF ADJUSTING
SENSING RANGE:	2" TO 6" ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
WORKING SOAP:	STANDARD LIQUID SOAP, NO GRIT (INDUSTRIAL) SOAP
SOAP BOTTLE CAPACITY:	800ML (JUST UNDER A QUART)
SOAP AMOUNT PER USE:	0.5ML TO 1.5ML, ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
REMOTE CONTROL:	HAND HELD. OPTIONAL
FINISH SELECTION:	20+ MATCHING FINISHES

All Dimensions below are approximate, and in inches



Rough-in



Optional Equipment:

- AC Adapter
- Remote Control (one for many dispensers)
- Vessel Sink Installation

MAC FAUCETS

Electronic, Sensor bulk Soap Dispenser



Model: PYOS-L100 Patent Pending

Features:

- **No Need to Purchase Expensive Soap Cartridges.**
- **Dispenses Standard liquid Soap.**
- **Solid Brass Spout.**
- **Battery Powered, AC Optional.**
- **Available in Twenty+ Matching Finishes.**



Package Includes

Spout

Soap Pump

*All Hose Connections
Between Pump and
Spout*

800ml Soap Bottle

*Battery Compartment
or Optional AC Power
Supply*

Mounting Hardware


*Remote Control
Optional*

*All hardware necessary for
satisfactory installation*


SPECIFICATIONS

SPECIFICATIONS	
MODEL:	PYOS-L100
SPOUT:	SOLID BRASS TUBE
POWER:	4 (D) BATTERIES / AC ADAPTER OPTIONAL
SOAP PUMP:	6 VOLT PERISTALTIC PUMP SYSTEM
COUNTER ACCOMMODATION:	ACCOMMODATES COUNTER THICKNESS UP TO 2"
SENSOR TYPE:	ACTIVE INFRARED, SELF ADJUSTING
SENSING RANGE:	2" TO 6" ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
WORKING SOAP:	STANDARD LIQUID SOAP. NO GRIT (INDUSTRIAL) SOAP
SOAP BOTTLE CAPACITY:	800ML (JUST UNDER A QUART) OPTIONAL 1 GALLON CONTAINERS
SOAP AMOUNT PER USE:	0.5ML TO 1.5ML, ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
REMOTE CONTROL:	HAND HELD. OPTIONAL
FINISH SELECTION:	20+ MATCHING FINISHES

All Dimensions below are approximate, and in inches



Rough-in



Optional Equipment:

- AC Adapter
- Remote Control (one for many dispensers)
- 1 Gallon capacity container.

MAC FAUCETS

Electronic, Sensor Liquid Soap Dispenser



Shown Here the
PYOS-1104 in
polished chrome
finish

Package Includes

Spout

Soap Pump

*All Hose Connections
Between Pump and
Spout*

800ml Soap Bottle

*Battery Compartment
or Optional AC Power
Supply*

Mounting Hardware

*Remote Control
Optional*

*All hardware necessary for
satisfactory installation*

Model: PYOS-L1101 to PYOS-L1106 Vessel Sink Series Electronic Soap Dispensers Patent Pending

Features:

- **Designed for Vessel Sink Applications.**
- **Dispenses Standard liquid Soap.**
- **Solid Brass Tube Spout.**
- **Battery Powered, AC Optional.**
- **Available in Twenty+ Matching Finishes.**




**DESIGNED
& ASSEMBLED IN**

U.S.A.


SPECIFICATIONS	
MODEL:	PYOS-L1101 TO PYOS-1106
SPOUT:	SOLID BRASS TUBE
POWER:	4 (D) BATTERIES / AC ADAPTER OPTIONAL
SOAP PUMP:	6 VOLT PERISTALTIC PUMP SYSTEM
COUNTER ACCOMMODATION:	ACCOMMODATES COUNTER THICKNESS UP TO 2"
SENSOR TYPE:	ACTIVE INFRARED, SELF ADJUSTING
SENSING RANGE:	2" TO 6" ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
WORKING SOAP:	STANDARD LIQUID SOAP, NO GRIT (INDUSTRIAL) SOAP
SOAP BOTTLE CAPACITY:	800ML (JUST UNDER A QUART) OPTIONAL 1 GALLON CONTAINERS
SOAP AMOUNT PER USE:	0.5ML TO 1.5ML, ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
REMOTE CONTROL:	YES, HAND HELD (FOR ADJUSTMENTS PURPOSES) OPTIONAL
FINISH SELECTION:	20+ MATCHING FINISHES

All Dimensions below are approximate, and in inches

Shown Here the
PYOS-L1104
All Dimensions in Inches



Rough-in



Optional Equipment:

- AC Adapter
- Remote Control (one for many dispensers)
- 1 Gallon capacity container.

MAC Faucets, LLC 7308 Alondra Blvd. Paramount, CA 90723


www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

Wall Mount Rough-in

- Page 1 of 2
- Spout All brass construction. Soap bottle, pump housing and battery case All plastic construction.
- Finish applies to components visible from above sink only.
- All dimensions in inches.

PYOS-L124




MAC FAUCETS

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

- Page 2 of 2
- **Please note:** Spouts fastens to wall via standard screws/anchors configuration.
- Wall spouts have varying length. Please view spec. of individual spout.
- Sensor range/zone is field adjustable.
- 22" maximum distance required to accommodate sensor cable length.
- Battery case contains batteries (battery application) and must be accessible for battery replacement.

PYOS-L124



MAC FAUCETS

Electronic, Sensor Liquid Soap Dispenser



Package Includes

Spout

Soap Pump

*All Connections
Between Pump and
Spout*

800ml Soap Bottle

*Battery
Compartment or
Optional AC Power
Supply*

Mounting Hardware

*Remote Control
Optional*

*All hardware necessary
for satisfactory*

Model: PYOS-129 Patent Pending


Features:

- Wall mount installation matches MAC FA43-129 faucet.
- Dispenses Standard Liquid Soap.
- Solid Brass Tube Spout.
- Battery Powered, AC Optional.
- **Available in Twenty+ Matching Finishes.**



SPECIFICATIONS	
MODEL:	PYOS-129
SPOUT:	SOLID BRASS
POWER:	4 (D) BATTERIES / AC ADAPTER OPTIONAL
SOAP PUMP:	6 VOLT PERISTALTIC PUMP SYSTEM
COUNTER ACCOMMODATION:	NA
SENSOR TYPE:	ACTIVE INFRARED, SELF ADJUSTING
SENSING RANGE:	2" TO 6" ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
WORKING SOAP:	STANDARD LIQUID SOAP.
SOAP BOTTLE CAPACITY:	800ML (JUST UNDER A QUART) OPTIONAL 1 GALLON CONTAINERS
SOAP AMOUNT PER USE:	0.5ML TO 1.5ML, ADJUSTABLE WITH OPTIONAL REMOTE CONTROL
REMOTE CONTROL:	HAND HELD. OPTIONAL
FINISH SELECTION:	20+ MATCHING FINISHES

All Dimensions below are approximate, and in inches



Optional Equipment:

- AC Adapter
- Remote Control (one for many dispensers)
- 1 Gallon capacity container.
- Spout available in custom lengths, 8", 10" as well as other length.

MAC Faucets, LLC

www.macfaucets.com Tel 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Industry Standard[™] Electronic Toilet Flush Valve



Package Includes

Automatic Flush Valve

1" Stop Valve

Supply Flange

*1-1/2"-9" Vacuum
Breaker Assembly*

Toilet Spud Coupling

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

ASSI 1037

ANSI/ASME
A112.19.6

Installation
Conforms to ADA
Requirement

Model:

ATV-3 Toilet Flush Valve -- 1.6 GPF

ATV-3-1.28 Toilet Flush Valve -- 1.28 GPF

Featuring:


- **Solid Brass Body.**
- **Solid Brass Piston Valving System.**
- Low Consumption per flush.
- **Manual Flush Button, independent of battery/electronics.**
- **Particle Strainer Built-In for Longer Life Expectancy.**
- Hermetically Sealed Sensor and electronics.
- Visible Low Battery Indicator Built into Sensor Capsule.
- **Available in 20 Finishes.**



SPECIFICATIONS AND DIMENSIONS

MODEL:	ATV-3
BODY:	SOLID BRASS
STOP:	SOLID BRASS
SPUD:	1-1/2", 9" LONG WITH VACUUM BREAKER
POWER:	4 AAA ALKALINE BATTERIES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI - 100 PSI
WATER INLET SIZE:	1" AT STOP
WATER OUTLET SIZE:	1-1/2" AT SPUD
WATER FLOW CONTROL:	YES, AT STOP
WATER CONSUMPTION:	ATV-3 OPTIONS: 1.6 AND 1.28GPF
VALVING SYSTEM:	PISTON TYPE
STRAINER:	50 MESH
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BODY MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING REACH:	24 INCHES

All Dimensions in Inches



MAC Faucets LLC

www.macfaucets.com Toll Free 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Industry Standard[™] Electronic Urinal Flush Valve



Package Includes

Automatic Flush Valve

3/4" Stop Valve

*Supply Flange with
Sweat Solder*

*3/4"-9" Vacuum
Breaker Assembly*

Urinal Spud Coupling

Batteries Pre-installed

*All the hardware necessary for
satisfactory installation*

Model:

AUV-3 Urinal Flush Valve -- 1.0 GPF

AUV-3-0.5 Urinal Flush Valve -- 0.5 GPF

AUV-3-0.25 Urinal Flush Valve -- 0.25 GPF

AUV-3-0.125 Urinal Flush Valve -- 0.125 GPF

ASSI 1037

ANSI/ASME
A112.19.6

Installation
Conforms to ADA
Requirement

Featuring:


- **Solid Brass Body.**
- **Solid Brass Piston Valving System.**
- Low Consumption per flush.
- **Manual Flush Button, independent of battery/electronics.**
- **Particle Strainer Built-In for Longer Life Expectancy.**
- Hermetically Sealed Sensor and electronics.
- Visible Low Battery Indicator Built into Sensor Capsule.
- **Available in 20 Finishes.**



SPECIFICATIONS AND DIMENSIONS

MODEL:	AUV-3
BODY:	SOLID BRASS
STOP:	SOLID BRASS
SPUD:	3/4"- 9" LONG WITH VACUUM BREAKER
POWER:	4 AAA ALKALINE BATTERIES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
WATER INLET SIZE:	3/4" AT STOP
WATER OUTLET SIZE:	1-1/2" AT SPUD
WATER FLOW CONTROL:	YES, AT STOP
WATER CONSUMPTION:	AUV-3 OPTIONS: 1.0, 0.5, 0.25, 0.125 GPF
VALVING SYSTEM:	PISTON TYPE
STRAINER:	50 MESH
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BODY MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING REACH:	20 INCHES

All Dimensions in Inches



MAC Faucets LLC

www.macfaucets.com Toll Free 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

The Widest Selection of Decorative Automatic Faucets

Industry Standard™ Electronic Retrofit Flush Valve



*Designed to
replace
existing manual
flush valves or
existing electronic
flush valves with
slide connection
(adjustable Nipple)*

Batteries Pre-installed

ASSI 1037

ANSI/ASME
A112.19.6

Installation
Conforms to ADA
Requirement

Toilet Models:

ATV-3B Toilet Retrofit Flush Valve -- 1.6 GPF

ATV-3B-1.28 Toilet Retrofit Flush Valve -- 1.28 GPF

Urinal Models:

AUV-3B Urinal Retrofit Flush Valve -- 1.0 GPF

AUV-3B-0.5 Urinal Retrofit Flush Valve -- 0.5 GPF

AUV-3B-0.25 Urinal Retrofit Flush Valve -- 0.25 GPF

AUV-3B-0.125 Urinal Retrofit Flush Valve -- 0.125 GPF

Featuring:


- **Solid Brass Body.**
- **Solid Brass Piston Valving System.**
- Low Consumption per flush.
- **Manual Flush Button, independent of battery/electronics.**
- **Particle Strainer Built-In for Longer Life Expectancy.**
- Hermetically Sealed Sensor and electronics.
- Visible Low Battery Indicator Built into Sensor Capsule.



SPECIFICATIONS AND DIMENSIONS

MODEL:	ATV-3B AND AUV-3B RETROFIT VALVE
BODY:	SOLID BRASS
STOP:	NOT INCLUDED
SPUD:	NOT INCLUDED
POWER:	4 AAA ALKALINE BATTERIES
SOLENOID VALVE:	6 VOLT MAGNET LATCHING
WORKING WATER PRESSURE:	1 PSI -100 PSI
WATER INLET SIZE:	STANDARD ADJUSTABLE CONNECTION.
WATER OUTLET SIZE:	STANDARD 1-1/2" STRAIGHT PIPE
WATER FLOW CONTROL:	YES, AT STOP (STOP NOT INCLUDED)
WATER CONSUMPTION:	ATV-3B OPTIONS: 1.6 AND 1.28GPF AUV-3B OPTIONS: 1.0, 0.5, 0.25, 0.125GPF
FLUSH CYCLE:	1.2 GPF TOILET AND 0.5 GPF URINAL
VALVING SYSTEM:	PISTON TYPE
STRAINER:	50 MESH
SENSOR TYPE AND LOCATION:	ACTIVE INFRARED, BODY MOUNT
SENSOR MICROPROCESSOR:	DIGITAL, PUG AND PLAY
SENSING REACH:	24" TOILET AND 20" URINAL

All Dimensions in Inches



MAC Faucets LLC

www.macfaucets.com Toll Free 866 558 3200 Fax 310 919 3073 Email Info@macfaucets.com

MAC FAUCETS

INDUSTRY STANDARD™

FA444-12


Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA444-12	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$379.90
			other finishes	\$529.90
	FA444-12M	FA444-12 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$649.90
			other finishes	\$829.90
	FA444-12S	FA444-12 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$429.90
			other finishes	\$609.90
	FA444-12DS	FA444-12 with 4" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$409.90
			other finishes	\$589.90
	FA444-12DL	FA444-12 with 8" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$429.90
			other finishes	\$609.90
	R-42444	<u>OPTIONS</u>		\$75
		A/C Adaptor for FA444-12 (when ordered as an upgrade with the faucet)		
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA444-17 *INDUSTRY STANDARD™*


Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA444-17	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$449.90
			other finishes	\$599.90
	FA444-17M	FA444-17 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$719.90
			other finishes	\$899.90
	FA444-17S	FA444-17 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$499.90
			other finishes	\$679.90
	FA444-17DS	FA444-17 with 4" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$479.90
			other finishes	\$659.90
	FA444-17DL	FA444-17 with 8" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$499.90
			other finishes	\$679.90
	R-42444	<i>OPTIONS</i>		\$75
		A/C Adaptor for FA444-17 (when ordered as an upgrade with the faucet)		
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

INDUSTRY STANDARD™

FA444-31


Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA444-31	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$449.90
			other finishes	\$599.90
	FA444-31M	FA444-31 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$719.90
			other finishes	\$899.90
	FA444-31S	FA444-31 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$499.90
			other finishes	\$679.90
	FA444-31DS	FA444-31 with 4" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$479.90
			other finishes	\$659.90
	FA444-31DL	FA444-31 with 8" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$499.90
			other finishes	\$679.90
<i>OPTIONS</i>				
	R-42444	A/C Adaptor for FA444-31 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA444-63 *INDUSTRY STANDARD™*



Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA444-63	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$399.90
			other finishes	\$549.90
	FA444-63M	FA444-63 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$669.90
			other finishes	\$849.90
	FA444-63S	FA444-63 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$449.90
			other finishes	\$629.90
	FA444-63DS	FA444-63 with 4" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$429.90
			other finishes	\$609.90
	FA444-63DL	FA444-63 with 8" deck plate. Note: Drain sold separately.	05 Pol. Chrome	\$449.90
			other finishes	\$629.90
	R-42444	<i>OPTIONS</i> A/C Adaptor for FA444-63 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS

FA400-101

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-101	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$799.90
			other finishes	\$949.90
	FA400-101M	FA400-101 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$1069.90
			other finishes	\$1249.90
	FA400-101S	FA400-101 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$949.90
			other finishes	\$1129.90
	FASM-101	FA400-101 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$1219.99
			other finishes	\$1419.99
	AQ--101	FA400-101 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1333.99
			other finishes	\$1533.99
	R-42400	<u>OPTIONS</u>		
		A/C Adaptor for FA400-101 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-101



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA400-102

AUTOLUXE™ FAUCETS

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-102	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$549.90
			other finishes	\$699.90
	FA400-102M	FA400-102 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$999.90
	FA400-102S	FA400-102 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$699.90
			other finishes	\$879.90
	FASM-102	FA400-102 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$969.99
			other finishes	\$1169.99
	R-42400	<u>OPTIONS</u> A/C Adaptor for FA400-102 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com



MAC FAUCETS

AUTOLUXE™ FAUCETS

FA400-103

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-103	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$599.90
			other finishes	\$749.90
	FA400-103M	FA400-103 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$869.90
			other finishes	\$1049.90
	FA400-103S	FA400-103 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FASM-103	FA400-103 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$1019.99
			other finishes	\$1219.99
	R-42400	<u>OPTIONS</u> A/C Adaptor for FA400-103 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-103



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA400-106

AUTOLUXE™ FAUCETS

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-106	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$699.90
			other finishes	\$849.90
	FA400-106M	FA400-106 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$969.90
			other finishes	\$1149.90
	FA400-106S	FA400-106 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$849.90
			other finishes	\$1029.90
	FASM-106	FA400-106 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$1119.99
			other finishes	\$1319.99
	AQ-106	FA400-106 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1233.99
			other finishes	\$1433.99
	R-42400	<u>OPTIONS</u>		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-106



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS

FA400-109

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-109	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$799.90
			other finishes	\$949.90
	FA400-109M	FA400-109 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$1069.90
			other finishes	\$1249.90
	FA400-109S	FA400-109 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$949.90
			other finishes	\$1129.90
	FASM-109	FA400-109 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$1219.99
			other finishes	\$1419.99
	AQ-109	FA400-109 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1333.99
			other finishes	\$1533.99
	R-42400	<u>OPTIONS</u>		
		A/C Adaptor for FA400-109 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-109



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA400-118

AUTOLUXE™ FAUCETS


Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-118	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$599.90
			other finishes	\$749.90
	FA400-118M	FA400-118 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$1049.90
	FA400-118S	FA400-118 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FASM-118	FA400-118 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$1019.99
			other finishes	\$1219.99
	R-42400	<u>OPTIONS</u> A/C Adaptor for FA400-118 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS FA400-1100

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1100	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$599.90
			other finishes	\$749.90
	FA400-1100M	FA400-1100 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$1049.90
	FA400-1100S	FA400-1100 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FASM-1100	FA400-1100 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$969.99
			other finishes	\$1169.99
	AQ-1100	FA400-1100 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1083.99
			other finishes	\$1283.99
	R-42400	<u>OPTIONS</u>		
		A/C Adaptor for FA400-1100 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-1100



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

FA400-1200

AUTOLUXE™ FAUCETS

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1200	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$599.90
			other finishes	\$749.90
	FA400-1200M	FA400-1200 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$1049.90
	FA400-1200S	FA400-1200 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FASM-1200	FA400-1200 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$969.99
			other finishes	\$1169.99
	AQ-1200	FA400-1200 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1083.99
			other finishes	\$1283.99
	R-42400	OPTIONS A/C Adaptor for FA400-1200 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-1200



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS FA400-1400

Price List


2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1400	Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$599.90
			other finishes	\$749.90
	FA400-1400M	FA400-1400 with deck mounted mixing valve and trim. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$1049.90
	FA400-1400S	FA400-1400 with deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FASM-1400	FA400-1400 with complete deck mounted mixing valve and deck mounted soap dispenser. Note: Drain sold separately.	05 Pol. Chrome	\$969.99
			other finishes	\$1169.99
	AQ-1400	FA400-1400 Aqua Ibrido (Electronic-Manual) faucet. Temperature control handle adjusts water temperature. Volume handle controls water flow and switches between automatic and manual control. Note: Drain sold separately.	05 Pol. Chrome	\$1083.99
			other finishes	\$1283.99
	R-42400	<u>OPTIONS</u>		
		A/C Adaptor for FA400-1400 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please see the "ACCESSORIES" section for further options and upgrades

FA400-1400



Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS for Vessel Sinks


FA400-1100 SERIES - Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1101	FA400-1100 with 1" extension. Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$629.90
			other finishes	\$799.90
	FA400-1102	FA400-1100 with 2" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$659.90
			other finishes	\$829.90
	FA400-1103	FA400-1100 with 3" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$689.90
			other finishes	\$859.90
	FA400-1104	FA400-1100 with 4" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$719.90
			other finishes	\$899.90
	FA400-1105	FA400-1100 with 5" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FA400-1106	FA400-1100 with 6" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$779.90
			other finishes	\$959.90
<u>OPTIONS</u>				
	R-42400	A/C Adaptor for FA400-1100 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

FA400-1100



Please note that each dimension of height will increase by the size of the extension being ordered.

Please see the "ACCESSORIES" section for further options and upgrades

Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS for Vessel Sinks


FA400-1200 SERIES - Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1201	FA400-1200 with 1" extension. Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$629.90
			other finishes	\$799.90
	FA400-1202	FA400-1200 with 2" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$659.90
			other finishes	\$829.90
	FA400-1203	FA400-1200 with 3" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$689.90
			other finishes	\$859.90
	FA400-1204	FA400-1200 with 4" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$719.90
			other finishes	\$899.90
	FA400-1205	FA400-1200 with 5" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FA400-1206	FA400-1200 with 6" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$779.90
			other finishes	\$959.90
<u>OPTIONS</u>				
	R-42400	A/C Adaptor for FA400-1200 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

FA400-1200



Please note that each dimension of height will increase by the size of the extension being ordered.

Please see the "ACCESSORIES" section for further options and upgrades

Page 2

Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS for Vessel Sinks


FA400-1400 SERIES - Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-1401	FA400-1400 with 1" extension. Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$629.90
			other finishes	\$799.90
	FA400-1402	FA400-1400 with 2" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$659.90
			other finishes	\$829.90
	FA400-1403	FA400-1400 with 3" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$689.90
			other finishes	\$859.90
	FA400-1404	FA400-1400 with 4" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$719.90
			other finishes	\$899.90
	FA400-1405	FA400-1400 with 5" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$929.90
	FA400-1406	FA400-1400 with 6" extension for vessel sinks Note: Drain sold separately.	05 Pol. Chrome	\$779.90
			other finishes	\$959.90
<u>OPTIONS</u>				
	R-42400	A/C Adaptor for FA400-1400 (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

FA400-1400



Please note that each dimension of height will increase by the size of the extension being ordered.

Please see the "ACCESSORIES" section for further options and upgrades

Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS

AUTOLUXE™ FAUCETS for Vessel Sinks


FA400-106 SERIES - Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA400-132	FA400-106 with 2" extension. Solid Brass Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$789.90
			other finishes	\$959.90
	FA400-133	FA400-106 with 3" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$819.90
			other finishes	\$989.90
	FA400-134	FA400-106 with 4" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$849.90
			other finishes	\$1019.90
	FA400-135	FA400-106 with 5" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$879.90
			other finishes	\$1059.90
	FA400-136	FA400-106 with 6" extension for vessel sinks. Note: Drain sold separately.	05 Pol. Chrome	\$909.90
			other finishes	\$1089.90
	R-42400	<u>OPTIONS</u>		\$75
	A-12910	Under-counter adjustable mixing valve		\$86

Please note that each dimension of height will increase by the size of the extension being ordered.



Please see the "ACCESSORIES" section for further options and upgrades

Tel: 866-558-3200
 Fax: 310-919-3073
 website: macfaucets.com
 e-mail: info@macfaucets.com

MAC FAUCETS


WALL-MOUNTED FAUCETS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	FA43-124	Solid Brass Wall Mounted Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$699.90
			other finishes	\$849.90
	FA43-125	Solid Brass Wall Mounted Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$899.90
	FA43-129	Solid Brass Wall Mounted Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$899.90
	FA43-130	Solid Brass Wall Mounted Faucet and operating valve. Visible low battery indicator. Digital Plug 'n Play System. Rated "Heavy Duty". Battery powered (4 AA batteries). Optional A/C adaptor available (see below). Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$749.90
			other finishes	\$899.90
	FA610-68	Solid Brass Wall Mounted Faucet with High Efficiency operating valve. Battery powered (4 AA batteries). Unique "Body Sensor" Electronics. Faucet houses all working components. Complies with all ANSI and California standards. Note: Drain sold separately.	05 Pol. Chrome	\$699.90
			other finishes	\$849.90
	R-42043	OPTIONS A/C Adaptor for FA43 Wall Mounted Faucets (when ordered as an upgrade with the faucet)		\$75
	A-12910	Under-counter adjustable mixing valve		\$86



Please see the "ACCESSORIES" section for further options and upgrades

MAC FAUCETS

SOAP DISPENSERS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	PYOS-9000	Automatic Hands-free Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$449.90
			Other finishes	\$599.90
	PYOS-L100	Automatic Hands-free Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$449.90
			Other finishes	\$599.90
	PYOS-L1101	Automatic Hands-free Soap Dispenser with 1" Riser and 32oz. bottle	05 Pol. Chrome	\$529.90
			Other finishes	\$699.90
	PYOS-L1102	Automatic Hands-free Soap Dispenser with 2" Riser and 32oz. bottle	05 Pol. Chrome	\$559.90
			Other finishes	\$729.90
	PYOS-L1103	Automatic Hands-free Soap Dispenser with 3" Riser and 32oz. bottle	05 Pol. Chrome	\$589.90
			Other finishes	\$759.90
	PYOS-L1104	Automatic Hands-free Soap Dispenser with 4" Riser and 32oz. bottle	05 Pol. Chrome	\$619.90
			Other finishes	\$799.90
	PYOS-L1105	Automatic Hands-free Soap Dispenser with 5" Riser and 32oz. bottle	05 Pol. Chrome	\$649.90
			Other finishes	\$829.90
	PYOS-L1106	Automatic Hands-free Soap Dispenser with 6" Riser and 32oz. bottle	05 Pol. Chrome	\$679.90
			Other finishes	\$859.90
	PYOS-L124	Wall-Mounted, Automatic Hands-free Soap Dispenser and 32oz. bottle	05 Pol. Chrome	\$599.90
			Other finishes	\$749.90

MAC FAUCETS

SOAP DISPENSERS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	PYOS-129	Wall-Mounted, Automatic Hands-free Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$599.90
			Other finishes	\$749.90
	ASD-6	Wall-Mounted Automatic Hands-free Soap Dispenser	Stainless Steel finish only	\$159.99
	A-11000	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome only	\$149
	A-11110	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375
	A-11170	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375
	A-11120-10	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375

MAC FAUCETS

FLUSH VALVES

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
		Automatic Flush Valves feature a Solid Brass Body, Trouble-free Piston Valve, a 1" Stop Valve, 9" long 1 1/2" Vacuum Breaker, hermetically sealed sensor and electronics and appropriate spud couplings. Battery powered (4 AA batteries) with low battery indicator. Manual Flush Button override.		
	ATV-3	Toilet Flush Valve with 1.6 GPF	05 Pol. Chrome	\$569.99
	ATV-3-1.28	Toilet Flush Valve with 1.28 GPF	other finishes	\$899.99
	AUV-3	Urinal Flush Valve with 1.0 GPF	05 Pol. Chrome	\$569.99
	AUV-3-0.5	Urinal Flush Valve with 0.5 GPF	other finishes	\$899.99
	AUV-3-0.25	Urinal Flush Valve with 0.25 GPF		
	AUV-3-0.125	Urinal Flush Valve with 0.125 GPF		
	ATV-3B	Retrofit Toilet Flush Valve. 1.6 GPF.	05 Pol. Chrome	\$279.99
	ATV-3B-1.28	Retrofit Toilet Flush Valve. 1.28 GPF.	other finishes	\$429.99
	AUV-3B	Retrofit Urinal Flush Valve. All features. 1.0 GPF.	05 Pol. Chrome	\$279.99
	AUV-3B-0.5	Retrofit Urinal Flush Valve. All features. 0.5 GPF.	other finishes	\$429.99
	AUV-3B-0.25	Retrofit Urinal Flush Valve. All features. 0.25 GPF.		
	AUV-3B-0.125	Retrofit Urinal Flush Valve. All features. 0.125 GPF.		
	R-33210	REPLACEMENT PARTS Manual Side Flush Assembly for Flush Valves	05 Pol. Chrome	\$165
			other finishes	\$195
	R-23000	Full solenoid valve cluster with piston for ATV-3 Toilet Flush Valve		\$285
	R-24000	Full solenoid valve cluster with piston for AUV-3 Urinal Flush Valve		\$285
	R-33200	Sensor only for flush valves		\$165

MAC FAUCETS

ACCESSORIES & OPTIONS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	A-10002	COVER PLATES		
		Cap-off Plate for unused Holes	05 Pol. Chrome	\$25
			Other Finishes	\$45
	A-10400	4" Deck Plate	05 Pol. Chrome	\$50
			Other Finishes	\$90
	A-10800	8" Deck Plate	05 Pol. Chrome	\$75
			Other Finishes	\$125
	A-13000	DRAINS		
		Grid Drain <i>with</i> Overflow	05 Pol. Chrome	\$55
			Other Finishes	\$95
	A-13100	Grid Drain <i>without</i> Overflow	05 Pol. Chrome	\$55
			Other Finishes	\$95
	A-13600	Push-Push Drain <i>with</i> Overflow	05 Pol. Chrome	\$69
			Other Finishes	\$109
	A-13700	Push-Push Drain <i>without</i> Overflow	05 Pol. Chrome	\$69
			Other Finishes	\$109
	A-12910	MIXING VALVES		
		Below the counter adjustable Mixing Valve		\$86
	R-51000	Mixing valve and hardware for on-the-deck installations with decorative trim (trim is not included)		\$370

(continued on next page)

MAC FAUCETS

ACCESSORIES & OPTIONS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
	A-12110-10	Complete Deck Mount Mixing Valve and hardware (R-51000) with trim	05 Pol. Chrome	\$445
			Other Finishes	\$495
	A-12111-90	Complete Deck Mount Mixing Valve and hardware (R-51000) with trim	05 Pol. Chrome	\$445
			Other Finishes	\$495
	A-12150-50	Complete Deck Mount Mixing Valve and hardware (R-51000) with trim	05 Pol. Chrome	\$445
			Other Finishes	\$495
	A-12120-20	Complete Deck Mount Mixing Valve and hardware (R-51000) with trim	05 Pol. Chrome	\$445
			Other Finishes	\$495
<i>SOAP DISPENSERS</i>				
	A-11000	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome only	\$149
	A-11110	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375
	A-11170	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375
	A-11120-10	Manual Soap Dispenser w/ 32oz. bottle	05 Pol. Chrome	\$325
			Other finishes	\$375

MAC FAUCETS

PARTS Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
<i>AUTOMATOR BOXES</i>				
	R-40043	Battery Powered Automator for all FA43 faucets.		\$247
	R-40400	Battery Powered Automator for all FA400 faucets.		\$350
	R-40444	Battery Powered Automator for all FA444 faucets.		\$247
	R-42043	A/C Automator for all FA43 faucets.	**When ordered as an upgrade with a faucet, add \$75 to the list price of the faucet	\$297
	R-42400	A/C Automator for all FA400 faucets.	**When ordered as an upgrade with a faucet, add \$75 to the list price of the faucet	\$400
	R-42444	A/C Automator for all FA444 faucets.	**When ordered as an upgrade with a faucet, add \$75 to the list price of the faucet	\$297
<i>SENSORS</i>				
	R-31146	Sensor for FA4316 and M316		\$165
	R-31200	Sensor only for FA444-12		\$165
	R-31300	Sensor for FA444-17 and FA444-63		\$165
	R-31400	Sensor for FA444-31		\$165
	R-30100	Sensor for all FA400 faucets (2 eyes)		\$165
	R-31068	Sensor only for FA610-68		\$220

(continued on next page)

MAC FAUCETS

PARTS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
<i>SENSORS</i>				
	R-31600	Sensor for FA610-65		\$165
	R-31700	Sensor only for all FA43 Wall Mount Faucets		\$190
	R-31900	Sensor only for PYOS		\$165
	R-31990	Sensor only for PYOS-L		\$165
	R-31995	36" Extension Cord for PYOS Sensor		\$ 65
	R-33200	Sensor only for Flush Valves		\$165
	R-31024	Wall Mount sensor (R31700) with decorative ring for FA43-124	05 Pol. Chrome	\$235
			Other finishes	\$265
	R-31025	Wall Mount sensor (R31700) with decorative ring for FA43-125	05 Pol. Chrome	\$275
			Other Finishes	\$315
	R-31029	Wall Mount sensor (R31700) with decorative ring for FA43-129 and FA43-130	05 Pol. Chrome	\$275
			Other Finishes	\$315

MAC FAUCETS

PARTS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
SOLENOIDS				
	R-42000	Solenoid Valve for all FA400 faucet automator boxes		\$225
	R-42068	Solenoid Valve for FA610-68		\$225
	R-42200	Solenoid Valve for all FA444 faucet automator boxes		\$165
	R-43000	Solenoid Valve for all FA43 faucet automator boxes		\$165
	R-23000	Solenoid Valve with Piston for Toilet Flush Valves		\$285
	R-24000	Solenoid Valve with Piston for Urinal Flush Valves		\$285
AERATORS				
	R-21300	0.5 GPM Aerator Assembly	05 Pol. Chrome	\$15
			Other Finishes	\$35
	R-21400	0.5 GPM Vandal Resistant Aerator Assembly	05 Pol. Chrome	\$25
			Other Finishes	\$45
	R-21301	0.5 GPM Aerator Assembly for FA43-124 Spout	05 Pol. Chrome	\$15
			Other Finishes	\$35
	R-21150	1.5 GPM Aerator Assembly	05 Pol. Chrome	\$15
			Other Finishes	\$35
	R-21410	1.5 GPM Vandal Resistant Aerator Assembly	05 Pol. Chrome	\$25
			Other Finishes	\$45
	R-21151	1.5 GPM Aerator Assembly for FA43-124 Spout	05 Pol. Chrome	\$15
			Other Finishes	\$35

Tel: 866-558-3200

Fax: 310-919-3073

website: macfaucets.com

e-mail: info@macfaucets.com

MAC FAUCETS

PARTS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
AERATORS				
	R-21100	2.2 GPM Aerator Assembly	05 Pol. Chrome	\$15
			Other Finishes	\$35
	R-21420	2.2 GPM Vandal Resistant Aerator Assembly	05 Pol. Chrome	\$25
			Other Finishes	\$45
	R-22110	2.2 GPM Aerator Assembly for FA43-124 Spout	05 Pol. Chrome	\$15
			Other Finishes	\$35
	R-21005	0.5 GPM Cache Style Aerator - 18 mm		\$15
	R-21205	0.5 GPM Cache Style Aerator - 22 mm		\$19
	R-21015	1.5 GPM Cache Style Aerator - 18 mm		\$15
	R-21215	1.5 GPM Cache Style Aerator - 22 mm		\$19
	R-21000	Key for 18 mm Cache Style Aerators		\$15
	R-21200	Key for 22 mm Cache Style Aerators		\$15
OTHER PARTS				
	R-53520	Check Valve for A-12910 Mixing valve Specify if for "HOT" or "COLD"		\$15
	R-31250	Spout Hose for all FA444 Faucets and FA43 Wall Mount Spouts		\$15
	R-32100	Spout Hose for all FA400 Faucets		\$19
	R-32243	Spout Hose for FA4316 Faucet		\$19
	R-31210	Retainer Kit for all FA400 faucets		\$35

(continued on next page)

MAC FAUCETS

PARTS

Price List

2016

Available Finishes: 01 (Polished Brass), 02 (Satin Brass), 03 (Antique Brass), 05 (Polished Chrome), 06 (Satin Chrome), 11 (Polished Gold), 12 (Satin Gold), 14 (Polished Nickel), 15 (Satin Nickel), 18 (Oil Rubbed Bronze), 19 (Polished Copper), 20 (Satin Copper), 21 (Antique Copper), 23 (Venetian Bronze). *See back of "Finishes" page for additional finishes.*

Item	Item Number	Description	finishes	Prices
<i>OTHER PARTS</i>				
	R-31220	Retainer Kit for all FA444 faucets		\$35
	R-31230	Retainer Kit for FA4316 Faucet		\$32
	R-33210	Manual Side Flush Assembly for Flush Valves	05 Pol. Chrome	\$165
			Other Finishes	\$195
	R-31000	Replacement Bottle (32 oz.) for A-11000, A-11110 and A-11120-10 Soap Dispensers		\$50
	R-31170	Replacement Bottle for A-11170 Soap Dispenser		\$45
	R-31180	Replacement Bottle (32 oz.) for PYOS Soap Dispensers		\$55
	A-14381	3.8 Liter (1 gl.) Replacement Container for PYOS Soap Dispensers		\$100
	A-19000	A/C Adaptor for PYOS Soap Dispensers		\$60
	R-49000	Control Pump for PYOS Soap Dispensers		\$300
	A-14020	Remote Control for PYOS Soap Dispensers		\$35
	A-14060	Remote Control for FA444		\$35

MAC FAUCETS

The Leader in Decorative Hands Free Faucets Worldwide
7308 Alondra Blvd., Paramount, CA 90723
Tel. 866.558-3200 Fax 310.919.3073 www.macfaucet.com

General Terms and Conditions

Conditions of Sale:

No orders will be shipped without order confirmation.
Products become buyer's property when delivered to carrier.

Prices:

Orders are billed according to prices quoted at the time of order.
Prices in this catalog are subject to change without notice.

Terms:

Terms are net 30 and due on the 10th of the month.
Invoice is past due if payment is not received by the 10th.
Past due invoices are charged 1.5% per month finance charge.

Freight:

Shipment F.O.B. Paramount, CA
Shipping via UPS, unless otherwise specified.
Freight allowed on orders of \$3000 or more.
We'll drop ship to job location upon request.

Returns:

Damages and errors must be declared within 10 working days.
No returns will be accepted without authorization number.
Shipping charges are buyer's responsibility.
Returns must be in sellable condition and are subject to 30% restocking fee.

Warranty:

Please refer to "Limited Warranty" box in the How to Order page

How To Order

Fax or email your order to the contact below. All orders will be confirmed by phone, or email before shipping, unless otherwise specified.

Please Email or Fax Your Order To
Info@macfaucets.com Fax: 310.919.3073

Please include in your order:

- 1. Model or item number.**
- 2. Finish name and number.**
- 3. Model numbers of all required options.**
- 4. Quantities.**

- ▶▶▶ Carefully read “Terms and Conditions” section of the catalog before ordering.
- ▶▶▶ Many items are available and in stock, however, please contact us for lead time on all orders.
- ▶▶▶ Faucets are shipped with all hardware necessary for complete and satisfactory installation. **Faucets are shipped without pop-up kits**
- ▶▶▶ Prices are subject to change without notice. If you’re ordering from a catalog that is more than a year old, please call to check prices
- ▶▶▶ All warranties apply to original purchaser and covers materials only. Labor, and shipping & handling costs are purchaser’s responsibility.

LIMITED WARRANTY

MAC FAUCETS WARRANT THIS FAUCET TO BE FREE OF DEFECTS FOR A PERIOD OF ONE YEAR FROM DATE OF PURCHASE. MAC FAUCETS WILL REPLACE, FREE OF CHARGE, DURING THIS WARRANTY PERIOD, PARTS THAT PROVE DEFECTIVE WHEN PROPERLY INSTALLED AND UNDER NORMAL USE AND SERVICE. DAMAGE THAT OCCURS AS A RESULT OF ABUSE, IMPROPER INSTALLATION, ENVIRONMENTAL CONDITIONS, OR IMPROPER APPLICATION WILL VOID THIS WARRANTY. PRODUCTS MUST BE SHIPPED WITH POSTAGE AND HANDLING PREPAID, ALONG WITH DATED PROOF OF PURCHASE. THIS WARRANTY DOES NOT COVER INSTALLATION OR ANY OTHER LABOR CHARGES., IT DOES NOT COVER SHIPPING AND HANDLING OF BOTH REPLACEMENT PARTS AND RETURNED DEFECTIVE PARTS. PRODUCTS OR COMPONENTS THAT HAVE BEEN ALTERED OR IN ANY WAY MODIFIED WILL NOT BE COVERED UNDER THIS WARRANTY. REPLACEMENT PARTS ARE UNDER WARRANTY ONLY FOR THE REMAINING PERIOD UNDER THE INITIAL WARRANTY. SOME STATES DO NOT ALLOW FOR EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGE.

MAC FAUCETS

How To Contact Us

Shipping, mailing, and
Remittance address:

MAC Faucets

7308 Alondra Blvd.

Paramount, CA 90723

Phone: 866-558-3200

Phone: 562-808-2240

Fax: 310-919-3073

Email: Info@macfaucets.com

Website: www.macfaucet.com

ALL AUTOMATIC FAUCETS FEATURE
THE FAUCET AUTOMATOR™.

Faucet Automator is trademark of Faucet Automator and beyond, Inc.

MAC FAUCETS

The finest hands free, automatic faucets in the world
7308 Alondra Blvd. Paramount, CA 90723
Tel.866.558-3200 Fax 310.919.3073 www.macfaucet.com

Product

All products are proudly made with the highest quality material and workmanship that exceeds industry standards. All faucets are hand finished, inspected at multiple stages, order matched, and carefully packaged to insure that our valued clients get exactly what they order.

Solid Brass Construction

All products inspected by 3 quality assurance personnel.

Order matching to insure proper shipping and delivery

Compliant with all applicable CSA, ANSI, ASSI, and NSF codes

Service

Simple terms, conditions, delivery, and payment plans designed to suit the needs of our valued clients and partners.

Technical support handled by a real life engineer.

Comprehensive, user friendly website: www.macfaucets.com with up to date pricing.

Easy terms and conditions

High quality technical support

Comprehensive web presence