



OTC Quality Products


OTC200 INSTALATION MANUAL




Model
OTC200

OTC Quality Products
☎ 866 558 3200 ✉ info@otcquality.com


www.otcquality.com




1 Insert faucet shank through sink hole




2 Place washer and locknut onto shank




3 Tighten locknut






4 Mark holes for valve and install on the wall, follow instructions on label



5A Connect cold supply line
NOTE: Drain the water line Before the hose is connected




5B Optional Mixing valve
NOTE: Drain the water lines Before the hoses are connected




Align marks located on solenoid plug and push firmly.
Power plug does not require alignment, Plug and push firmly.

Make sure no objects are present in the sink when plug sensor and power cables.
After plugging cable, wait one minute before placing anything in the sink.
Test for leaks before using faucet



Battery Replacement



Use Phillips screw driver to remove screw on top



Open the case and remove the old batteries



Use All New, good quality AA batteries

Place new batteries inside case in the order shown above



Close the case aligning the outside marks

LIMITED WARRANTY

Mac Faucets warrant this faucet to be free of defects for a period of one year from date Of purchase. Mac Faucets will replace, free of charge, during this warranty period, parts That prove defective when properly installed and under normal use and service. Damage That occurs as a result of abuse, improper installation, environmental conditions, or Improper application will void this warranty. Products must be shipped with postage and Handling prepaid, along with dated proof of purchase. This warranty does not cover installation or any other labor charges, it does not cover shipping and handling of both replacement parts and returned defective parts. Products or components that have been altered or in any way modified will not be covered under this warranty. Replacement parts are under warranty only for the remaining period under the initial warranty. Some states do not allow for exclusion of incidental or consequential damage.

OPTIONAL EQUIPMENT



OTC-210
Matching Electronic
Soap Dispenser



OTC-215
Wall Mount Electronic
Soap Dispenser



ATV-3
Automatic Toilet Valve



AUV-3
Automatic Urinal valve



A-12910
Adjustable under sink
mixing valve



A-19000
AC Adapter



A-10400
4" On Center Deck Plate



A-10800
8" Deck Plate



A-13000
Lavatory drain Grid Type **with**
over flow Port

A-13100
Lavatory drain Grid Type **without**
over flow Port